

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

THURSDAY ISLAND – QUEENSLAND

LAT 10° 35' S LONG 142° 13' E

Times and Heights of High and Low Waters

2025

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0056	1.54	16 0157	1.52	1 0213	1.77	16 0155	1.79	1 0116	2.16	16 0110	2.21	1 0225	2.69	16 0455	2.22
0345	1.17	0409	1.31	0446	1.37	0442	1.51	0434	1.51	0419	1.73	0958	1.72	0614	2.25
WE 1340	3.34	TH 1434	3.30	SA 1429	3.32	SU 1221	2.66	SA 1324	3.39	SU 1220	2.59	TU 1348	2.01	WE 1627	1.00
2154	1.11	2239	1.15	2249	1.23			2108	1.22	1659	1.73	1647	1.56	2347	2.66
2 0136	1.50	17 0220	1.44	2 1457	3.00	17 0449	1.59	2 0155	2.19	17 0123	2.23	2 0628	2.63	17 0457	2.28
0416	1.16	0428	1.28	SU		1108	2.60	0445	1.67	0434	1.83	1644	1.29	0654	2.36
TH 1421	3.31	FR 1502	3.04	MO	1742	1.78	SU 1353	3.07	MO 1117	2.43	WE		TH 1639	0.88	
2244	1.11	2353	1.27	2112	2.03	2112	2.03	2152	1.42	1655	1.53			2353	2.67
3 0224	1.42	18 0246	1.36	3 0011	1.29	18 0435	1.67	3 0240	2.18	18 0002	2.25	3 0725	2.92	18 0452	2.33
0441	1.19	0440	1.28	1514	2.55	1014	2.73	0456	1.90	0444	1.93	1600	0.91	0728	2.47
FR 1504	3.24	SA 1518	2.76	MO	1741	1.51	MO 1415	2.60	TU 1011	2.37	TH 2211	2.40	FR 1648	0.82	
2355	1.08			2225	2.15	2225	2.15	2253	1.64	1700	1.31			2347	2.63
4 1546	3.09	19 0206	1.27	4 0132	1.28	19 0350	1.70	4 0751	2.43	19 0853	2.51	4 0158	2.09	19 0344	2.35
SA		1108	2.65	0931	2.69	1006	2.89	1725	1.76	1706	1.09	0815	3.14	0753	2.60
		SU		TU 1746	1.96	WE 1740	1.25	TU 2030	2.13	WE 2331	2.42	FR 1604	0.54	SA 1632	0.78
				2104	2.25	2301	2.26					2240	2.56	2327	2.57
5 0111	0.99	20 0307	1.23	5 0230	1.29	20 0352	1.73	5 0059	1.76	20 0429	2.08	5 0302	1.94	20 0322	2.27
1630	2.84	1050	2.82	0950	3.07	1009	3.04	0829	2.83	0855	2.67	0858	3.29	0813	2.75
SU		MO 1817	2.00	WE 1719	1.48	TH 1740	1.03	WE 1659	1.36	TH 1712	0.91	SA 1625	0.32	SU 1613	0.70
		2100	2.15	2220	2.25	2331	2.31	2151	2.29	2320	2.50	2309	2.60	2329	2.49
6 0206	0.90	21 0332	1.24	6 0319	1.32	21 0356	1.77	6 0217	1.74	21 0356	2.09	6 0346	1.79	21 0324	2.14
1031	2.57	1051	2.98	1016	3.37	1018	3.15	0907	3.18	0910	2.82	0930	3.34	0833	2.91
MO 1358	2.32	TU 1759	1.72	TH 1727	1.05	FR 1743	0.87	TH 1645	0.90	FR 1708	0.79	SU 1652	0.27	MO 1622	0.63
1937	2.52	2214	2.10	2314	2.24	2358	2.29	2241	2.43	2329	2.54	2336	2.54	2335	2.38
7 0250	0.86	22 0346	1.31	7 0403	1.38	22 0404	1.77	7 0315	1.69	22 0350	2.05	7 0423	1.68	22 0335	1.98
1030	2.85	1054	3.11	1039	3.58	1028	3.25	0939	3.43	0924	2.95	0957	3.32	0857	3.05
TU 1534	2.02	WE 1803	1.44	FR 1747	0.72	SA 1751	0.77	FR 1658	0.54	SA 1701	0.70	MO 1721	0.37	TU 1642	0.60
2058	2.34	2308	2.06	2355	2.17			2318	2.47	2344	2.49	2356	2.42	2336	2.28
8 0330	0.91	23 0351	1.40	8 0442	1.43	23 0020	2.19	8 0400	1.63	23 0355	1.99	8 0456	1.62	23 0400	1.81
1047	3.12	1101	3.22	1101	3.71	0417	1.74	1008	3.56	0936	3.08	1023	3.25	0926	3.16
WE 1652	1.65	TH 1817	1.20	SA 1814	0.54	SU 1039	3.34	SA 1721	0.36	SU 1707	0.64	TU 1750	0.56	WE 1706	0.61
2215	2.16	2352	2.00	1805	0.74			2348	2.41	2356	2.37	2356	2.31	2317	2.26
9 0407	1.03	24 0359	1.48	9 0022	2.06	24 1056	3.44	9 0437	1.58	24 0406	1.87	9 0527	1.61	24 0437	1.67
1106	3.36	1110	3.30	0518	1.47	1826	0.74	1032	3.61	0950	3.22	1049	3.13	1001	3.18
TH 1746	1.28	FR 1832	1.04	SU 1125	3.77	MO 2348	1.98	SU 1749	0.35	MO 1723	0.63	WE 1816	0.81	TH 1736	0.67
2314	2.00			1846	0.50					2351	2.22	2354	2.29	2314	2.38
10 0442	1.17	25 0027	1.90	10 0022	1.95	25 0503	1.57	10 0009	2.29	25 0425	1.74	10 0555	1.65	25 0520	1.55
1123	3.55	0414	1.54	0551	1.50	1119	3.54	0511	1.54	1011	3.35	1114	2.97	1039	3.12
FR 1826	0.96	SA 1120	3.37	MO 1154	3.76	TU 1852	0.78	MO 1057	3.60	TU 1746	0.65	TH 1838	1.07	FR 1806	0.78
2347	1.86	1848	0.95	1920	0.59	2348	2.01	1819	0.47	2328	2.15			2336	2.57
11 0516	1.31	26 0026	1.79	11 0026	1.90	26 0532	1.48	11 0007	2.16	26 0454	1.60	11 0006	2.33	26 0607	1.45
1145	3.70	0434	1.56	0617	1.53	1148	3.61	0541	1.53	1039	3.45	0621	1.71	1118	2.95
SA 1905	0.75	SU 1133	3.44	TU 1226	3.68	WE 1922	0.85	TU 1124	3.53	WE 1814	0.70	FR 1134	2.78	SA 1838	0.94
		1907	0.91	1954	0.78			1850	0.68	2329	2.20	1852	1.30		
12 0007	1.75	27 1152	3.50	12 0044	1.88	27 0009	2.06	12 0007	2.11	27 0528	1.50	12 0021	2.40	27 0009	2.78
0546	1.43	1931	0.91	0621	1.58	0600	1.43	0607	1.56	1111	3.49	0647	1.78	0657	1.38
SU 1214	3.77	MO		WE 1257	3.54	TH 1220	3.64	WE 1153	3.40	TH 1845	0.79	SA 1147	2.57	SU 1157	2.69
1944	0.66			2028	1.01	1956	0.94	1919	0.94	2351	2.31	1850	1.46	1907	1.14
13 0430	1.55	28 0000	1.76	13 0104	1.87	28 0040	2.12	13 0021	2.11	28 0607	1.45	13 0036	2.48	28 0047	2.97
0606	1.53	0255	1.49	0348	1.47	0626	1.44	0626	1.62	1146	3.43	0714	1.84	0752	1.34
MO 1250	3.76	TU 1219	3.55	TH 1324	3.36	FR 1252	3.58	TH 1218	3.24	FR 1916	0.92	SU 1157	2.36	MO 1235	2.34
2023	0.69	2000	0.94	2101	1.25	2031	1.06	1944	1.21			1611	1.49	1934	1.37
14 0103	1.63	29 0023	1.80	14 0121	1.85	29 0009	2.06	14 0038	2.14	29 0023	2.44	14 0049	2.56	29 0129	3.09
0315	1.43	0328	1.37	0409	1.43	0600	1.43	0619	1.70	0650	1.45	0749	1.91	0856	1.30
TU 1326	3.67	WE 1250	3.58	FR 1343	3.14	TH 1220	3.64	FR 1236	3.04	SA 1221	3.26	MO 1053	2.15	TU 1311	1.93
2104	0.81	2033	0.99	2134	1.46			2003	1.43	1949	1.09	1607	1.33	1606	1.40
15 0132	1.58	30 0054	1.82	15 0138	1.83	30 0009	2.06	15 0054	2.18	30 0059	2.56	15 0058	2.60	30 0220	3.11
0343	1.35	0359	1.30	0427	1.45	0600	1.43	0402	1.67	0737	1.52	1616	1.16	1023	1.22
WE 1402	3.51	TH 1323	3.58	SA 1347	2.88	TH 1220	3.64	SA 1243	2.82	SU 1254	2.96	TU 2355	2.62	WE 1347	1.50
2147	0.98	2111	1.06	2211	1.64			2011	1.61	2020	1.31			1616	1.25
		31 0131	1.81					31 0139	2.66						
		0425	1.29					0836	1.63						
		FR 1357	3.50					MO 1325	2.53						
		2154	1.14					1648	1.77						

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

THURSDAY ISLAND – QUEENSLAND

LAT 10° 35' S LONG 142° 13' E

Times and Heights of High and Low Waters

2025

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0327 1554 TH	3.06 1.07	16 0001 1626 FR	2.78 0.92	1 0515 1421 SU	2.95 0.67 2.36	16 0336 1323 MO	2.77 1.02	1 0033 0451 TU	2.21 2.49 0.91 2.45	16 0328 1318 WE	2.65 1.04 2.16	1 0556 1041 FR	1.36 1.92 1.32 2.80	16 0522 1007 SA	1.27 2.00 1.34 2.97
2 0501 1446 FR	3.02 0.73 2.38	17 0014 1640 SA	2.72 0.93	2 0146 0628 MO	2.14 2.78 0.61 2.48	17 0431 1409 TU	2.70 0.89 2.21	2 1526 2306 WE	0.92 2.62	17 0026 0355 TH	2.13 2.31 1.00 2.43	2 0551 1125 SA	1.07 1.94 1.39 2.91	17 0511 1058 SU	0.84 2.06 1.34 3.21
3 0111 0649 SA	2.24 3.04 0.49 2.52	18 0423 1526 SU	2.58 0.91	3 0259 0754 TU	2.01 2.62 0.62 2.57	18 0038 0532 WE	2.20 2.58 0.79 2.32	3 0434 0928 TH	1.82 2.03 0.99 2.74	18 0602 0903 FR	1.87 2.03 1.01 2.73	3 0600 1201 SU	0.83 1.91 1.47 2.99	18 0524 1135 MO	0.50 2.05 1.34 3.38
4 0233 0756 SU	2.07 3.05 0.38 2.57	19 0638 1514 MO	2.65 0.78 2.35	4 0352 0849 WE	1.89 2.46 0.72 2.62	19 0228 0749 TH	2.04 2.44 0.76 2.49	4 0536 1028 FR	1.54 1.90 1.11 2.84	19 0459 1023 SA	1.47 1.95 1.07 3.00	4 0614 1233 MO	0.68 1.84 1.51 3.05	19 0549 1202 TU	0.28 1.97 1.32 3.48
5 0323 0842 MO	1.90 3.01 0.39 2.56	20 0216 0729 TU	2.23 2.76 0.68 2.33	5 0442 0928 TH	1.77 2.29 0.87 2.67	20 0337 0850 FR	1.81 2.31 0.80 2.70	5 0611 1117 SA	1.28 1.78 1.24 2.93	20 0526 1117 SU	1.05 1.88 1.15 3.22	5 0631 1249 TU	0.62 1.72 1.50 3.11	20 0620 1209 WE	0.22 1.86 1.30 3.51
6 0403 0917 TU	1.79 2.92 0.51 2.51	21 0252 0811 WE	2.05 2.82 0.63 2.34	6 0529 1001 FR	1.65 2.10 1.05 2.74	21 0440 0940 SA	1.53 2.14 0.91 2.93	6 0639 1155 SU	1.08 1.66 1.35 3.00	21 0600 1152 MO	0.71 1.79 1.22 3.41	6 0651 1212 WE	0.63 1.63 1.45 3.15	21 0654 1209 TH	0.30 1.81 1.29 1.29
7 0440 0946 WE	1.73 2.80 0.70 2.47	22 0338 0853 TH	1.87 2.81 0.65 2.43	7 0617 1026 SA	1.53 1.91 1.21 1.65	22 0539 1028 SU	1.22 1.98 1.04 3.18	7 0704 1209 MO	0.94 1.54 1.41 3.04	22 0637 1202 TU	0.47 1.72 1.27 3.53	7 0713 1156 TH	0.68 1.63 1.38 1.38	22 0002 0728 FR	3.46 0.47 1.80 1.32
8 0516 1013 TH	1.71 2.63 0.92 2.35	23 0428 0936 FR	1.69 2.71 0.73 2.62	8 0002 0703 SU	2.82 1.40 1.74 1.32	23 0632 1115 MO	0.92 1.83 1.17	8 0728 1151 TU	0.87 1.48 1.41 1.41	23 0714 1219 WE	0.36 1.68 1.30	8 0002 0737 FR	3.19 0.76 1.68 1.26	23 0036 0802 SA	3.34 0.71 1.79 1.40
9 0551 1036 FR	1.70 2.44 1.14	24 0520 1020 SA	1.50 2.55 0.87 2.87	9 0012 0745 MO	2.89 1.29 1.62 1.32	24 0000 0721 TU	3.38 0.69 1.70 1.29	9 0005 0752 WE	3.08 0.86 1.48 1.31	24 0026 0753 TH	3.56 0.39 1.65 1.33	9 0030 0806 SA	3.22 0.85 1.73 1.17	24 0104 0834 SU	3.16 0.97 1.79 1.33
10 0004 0628 SA	2.56 1.69 2.24 1.30	25 0614 1103 SU	1.30 2.33 1.04	10 0019 0822 TU	2.95 1.21 1.54 1.21	25 0038 0809 WE	3.50 0.55 1.60 1.39	10 0025 0817 TH	3.09 0.89 1.52 1.21	25 0104 0832 FR	3.51 0.52 1.62 1.29	10 0059 0839 SU	3.22 0.94 1.76 1.15	25 0127 0905 MO	2.92 1.21 1.78 1.36
11 0015 0706 SU	2.66 1.67 2.05 1.37	26 0002 0709 MO	3.12 1.11 2.08 1.22	11 0029 0856 WE	2.97 1.18 1.49 1.13	26 0122 0855 TH	3.52 0.53 1.50 1.28	11 0052 0844 FR	3.09 0.96 1.55 1.14	26 0141 0913 SA	3.38 0.72 1.58 1.24	11 0128 0914 MO	3.17 1.03 1.77 1.22	26 0137 0932 TU	2.64 1.42 1.76 1.45
12 0024 0747 MO	2.75 1.64 1.87 1.25	27 0041 0806 TU	3.30 0.95 1.81 1.41	12 0044 0931 TH	2.96 1.18 1.45 1.07	27 0206 0944 FR	3.45 0.61 1.40 1.23	12 0121 0917 SA	3.08 1.02 1.55 1.09	27 0214 0957 SU	3.18 0.93 1.51 1.23	12 0155 0957 TU	3.03 1.14 1.74 1.37	27 0048 1647 WE	2.35 1.55 2.24
13 0033 0841 TU	2.82 1.61 1.70 1.13	28 0127 0907 WE	3.38 0.84 1.55 1.26	13 0104 1013 FR	2.93 1.19 1.40 1.04	28 0249 1037 SA	3.30 0.74 1.29 1.20	13 0153 0957 SU	3.08 1.08 1.52 1.10	28 0241 1049 MO	2.91 1.13 1.44 1.25	13 0220 1054 WE	2.76 1.26	28 0527 1000 TH	1.44 1.81 1.64 2.42
14 0042 1110 WE	2.84 1.52 1.55 1.02	29 0218 1011 TH	3.36 0.77 1.30 1.20	14 0139 1108 SA	2.87 1.19 1.32 1.04	29 0331 1141 SU	3.07 0.87	14 0226 1047 MO	3.00 1.11 1.45 1.17	29 0258 1215 TU	2.58 1.26	14 0237 1233 TH	2.37 1.33 2.27	29 0527 1037 FR	1.17 1.99 1.67 2.60
15 0038 1606 TH	2.82 0.95	30 0314 1119 FR	3.27 0.75	15 0239 1656 SU	2.82 1.07	30 0411 1310 MO	2.80 0.93 2.25	15 0258 1200 TU	2.87 1.10	30 0029 1415 WE	2.28 1.28 2.45	15 0555 0853 FR	1.64 1.92 1.34 2.64	30 0527 1103 SA	0.92 2.12 1.67 2.74
		31 0413 1238 SA	3.12 0.73					31 0609 0931 TH	1.66 1.90 1.27 2.65			31 0525 1127 SU	0.70 2.19 1.68 2.85		

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

