

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 38' E

Times and Heights of High and Low Waters

2025

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0033 1.04 1531 3.11 WE		16 0105 1.03 1716 3.16 TH		1 0125 1.21 1724 3.23 SA		16 0142 1.51 0948 2.54 1335 2.32 1813 2.84 SU		1 0019 1.33 0549 2.43 1108 2.37 1636 3.12 SA		16 0035 1.63 0545 2.49 1245 2.00 1729 2.63 SU		1 0039 1.84 0543 2.79 1318 1.28 1832 2.46 TU		16 0000 1.99 0517 2.61 1345 1.21 1904 2.10 WE	
2 0111 1.04 1621 3.14 TH		17 0145 1.12 1756 3.09 FR		2 0157 1.30 0908 2.55 1308 2.44 1811 3.12 SU		17 0200 1.66 0730 2.61 1427 2.21 1845 2.68 MO		2 0051 1.42 0604 2.56 1218 2.16 1726 3.04 SU		17 0052 1.75 0558 2.58 1326 1.86 1803 2.52 MO		2 0105 2.03 0618 2.90 1413 1.10 2222 2.30 WE		17 0001 2.07 0537 2.65 1418 1.15 TH	
3 0147 1.06 1712 3.16 FR		18 0219 1.24 1203 2.59 1324 2.58 1830 2.97 SA		3 0229 1.45 0842 2.67 1421 2.27 1900 2.93 MO		18 0215 1.81 0747 2.69 1515 2.10 1920 2.51 TU		3 0121 1.56 0634 2.70 1319 1.94 1816 2.87 MO		18 0105 1.87 0616 2.66 1404 1.73 1840 2.40 TU		3 0123 2.19 0655 2.95 1507 1.03 TH		18 0558 2.66 1455 1.14 FR	
4 0224 1.11 1801 3.12 SA		19 0248 1.40 1154 2.62 1450 2.51 1901 2.82 SU		4 0259 1.66 0911 2.80 1530 2.09 1951 2.67 TU		19 0223 1.95 0811 2.78 1604 1.99 2002 2.32 WE		4 0150 1.75 0709 2.84 1419 1.73 1910 2.65 TU		19 0116 1.99 0637 2.74 1443 1.63 1922 2.28 WE		4 0732 2.94 1604 1.04 FR		19 0623 2.66 1536 1.16 SA	
5 0300 1.21 1253 2.58 1348 2.58 1851 3.01 SU		20 0311 1.57 1200 2.66 1600 2.41 1933 2.63 MO		5 0323 1.91 0944 2.92 1640 1.90 2058 2.38 WE		20 0219 2.09 0836 2.85 1657 1.88 TH		5 0216 1.98 0745 2.95 1518 1.56 2015 2.40 WE		20 0117 2.10 0659 2.79 1522 1.56 TH		5 0815 2.89 1706 1.12 SA		20 0656 2.65 1625 1.20 SU	
6 0336 1.36 1200 2.63 1535 2.46 1942 2.81 MO		21 0325 1.74 1207 2.70 1705 2.28 2010 2.41 TU		6 0330 2.14 1014 3.01 1751 1.72 TH		21 0903 2.90 1754 1.78 FR		6 0230 2.19 0821 3.02 1620 1.45 TH		21 0722 2.81 1607 1.52 FR		6 0904 2.80 1816 1.22 SU		21 0742 2.63 1721 1.23 MO	
7 0409 1.56 1203 2.73 1700 2.26 2040 2.54 TU		22 0330 1.90 1156 2.75 1815 2.12 2104 2.18 WE		7 1045 3.09 1910 1.56 FR		22 0934 2.94 1904 1.68 SA		7 0856 3.05 1727 1.40 FR		22 0750 2.82 1658 1.50 SA		7 1006 2.69 1934 1.30 MO		22 0843 2.60 1827 1.26 TU	
8 0435 1.81 1215 2.84 1819 2.01 2215 2.25 WE		23 0316 2.03 1104 2.83 1939 1.92 TH		8 1119 3.13 2031 1.41 SA		23 1012 2.97 2024 1.57 SU		8 0933 3.04 1843 1.39 SA		23 0828 2.82 1800 1.49 SU		8 0600 2.44 0715 2.43 1207 2.58 2046 1.36 TU		23 0954 2.54 1936 1.29 WE	
9 0439 2.04 1228 2.95 1937 1.74 TH		24 1115 2.91 2043 1.72 FR		9 1215 3.14 2140 1.30 SU		24 1058 2.99 2128 1.47 MO		9 1018 2.99 2006 1.37 SU		24 0917 2.81 1916 1.46 MO		9 0538 2.38 0835 2.30 1331 2.52 2144 1.42 WE		24 1141 2.47 2038 1.34 TH	
10 1245 3.06 2052 1.46 FR		25 1136 2.98 2128 1.55 SA		10 1338 3.13 2236 1.23 MO		25 1157 3.02 2218 1.38 TU		10 1200 2.92 2119 1.36 MO		25 1018 2.81 2035 1.42 TU		10 0532 2.34 0939 2.15 1433 2.46 2229 1.50 TH		25 0402 2.21 0830 2.07 1332 2.43 2128 1.42 FR	
11 1313 3.14 2155 1.23 SA		26 1204 3.04 2210 1.41 SU		11 1445 3.13 2325 1.22 TU		26 1336 3.05 2303 1.32 WE		11 1342 2.89 2217 1.36 TU		26 1139 2.80 2134 1.37 WE		11 0530 2.32 1036 1.99 1524 2.40 2300 1.60 FR		26 0315 2.27 0934 1.80 1443 2.38 2210 1.56 SA	
12 1350 3.19 2248 1.08 SU		27 1243 3.08 2252 1.30 MO		12 1543 3.13 WE		27 1451 3.10 2344 1.30 TH		12 1445 2.87 2304 1.38 WE		27 1339 2.81 2222 1.37 TH		12 0444 2.33 1124 1.81 1608 2.34 2322 1.71 SA		27 0327 2.40 1033 1.48 1546 2.32 2245 1.73 SU	
13 1439 3.21 2338 1.00 MO		28 1336 3.12 2333 1.23 TU		13 0008 1.24 1630 3.11 TH		28 1546 3.14 FR		13 0805 2.45 0958 2.42 1536 2.85 2343 1.44 TH		28 0739 2.32 0908 2.31 1445 2.83 2302 1.41 FR		13 0429 2.39 1203 1.62 1649 2.27 2336 1.81 SU		28 0353 2.54 1130 1.16 1652 2.25 2316 1.90 MO	
14 1535 3.21 TU		29 1444 3.17 WE		14 0045 1.30 1013 2.52 1121 2.52 1708 3.06 FR		14 0739 2.42 1104 2.29 1618 2.80 FR		14 0739 2.42 1104 2.29 1618 2.80 FR		29 0422 2.37 1027 2.09 1543 2.81 2337 1.51 SA		14 0441 2.47 1238 1.45 1731 2.21 2348 1.91 MO		29 0424 2.67 1222 0.89 2034 2.18 2344 2.05 TU	
15 0023 0.99 1630 3.19 WE		30 0013 1.18 1544 3.22 TH		15 0116 1.39 0951 2.52 1237 2.43 1742 2.97 SA		15 0614 2.42 1159 2.15 1655 2.73 SA		15 0013 1.52 0614 2.42 1159 2.15 1655 2.73 SA		30 0440 2.50 1128 1.81 1636 2.74 SU		15 0458 2.55 1312 1.31 1815 2.15 TU		30 0459 2.77 1314 0.70 2219 2.18 2358 2.16 WE	
		31 0050 1.18 1636 3.25 FR						31 0009 1.66 0509 2.65 1224 1.53 1732 2.62 MO							

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 38' E

Times and Heights of High and Low Waters

2025

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0536 1405 TH	2.81 0.62	16 0445 1401 FR	2.50 0.81	1 0703 1534 SU	2.54 0.63	16 0546 1502 MO	2.43 0.73	1 0030 0248 0733 TU	1.94 1.90 2.27 0.85	16 0148 0641 1510 WE	1.83 2.34 0.87 1.97	1 0434 0825 1511 FR	1.45 1.73 1.42 2.13	16 0402 0846 1504 SA	1.14 1.77 1.62 2.39
2 0617 1457 FR	2.80 0.65	17 0513 1439 SA	2.50 0.84	2 0755 1622 MO	2.42 0.81	17 0636 1541 TU	2.40 0.80	2 0032 0411 0812 WE	1.97 1.80 2.08 1.05	17 0303 0730 1540 TH	1.71 2.18 1.06 2.06	2 0534 1314 1437 SA	1.33 1.55 1.54 2.20	17 0508 2128 SU	1.00 2.45
3 0706 1551 SA	2.73 0.76	18 0548 1519 SU	2.51 0.88	3 0223 0440 0843 TU	2.08 2.04 2.27 0.99	18 0728 1620 WE	2.32 0.92	3 0047 0525 0856 TH	2.02 1.68 1.87 1.25	18 0416 0828 1606 FR	1.53 1.95 1.29 2.16	3 0640 2158 SU	1.19 2.25	18 0618 2158 MO	0.88 2.48
4 0801 1647 SU	2.63 0.91	19 0632 1604 MO	2.49 0.94	4 0218 0605 0934 WE	2.09 1.92 2.08 1.18	19 0108 0421 0825 TH	2.00 1.90 2.17 1.09	4 0100 0640 1001 FR	2.06 1.52 1.64 1.41	19 0528 0958 1613 SA	1.32 1.70 1.52 2.26	4 0753 2225 MO	1.06 2.29	19 0738 2235 TU	0.79 2.48
5 0859 1747 MO	2.51 1.07	20 0727 1653 TU	2.46 1.00	5 0227 0722 1053 TH	2.12 1.76 1.88 1.36	20 0058 0548 0939 FR	2.06 1.70 1.95 1.30	5 0058 0758 1409 SA	2.09 1.33 1.52 1.52	20 0640 2325 SU	1.09 2.35	5 0853 2259 TU	0.93 2.31	20 0856 2335 WE	0.72 2.43
6 0355 0621 1003 1850 TU	2.26 2.21 2.36 1.21	21 0829 1744 WE	2.38 1.09	6 0236 0835 1256 1811 FR	2.14 1.56 1.72 1.52	21 0059 0703 1220 1747 SA	2.14 1.44 1.76 1.52	6 0028 0858 SU	2.14 1.13	21 0755 2353 MO	0.87 2.42	6 0944 2344 WE	0.84 2.32	21 1001 TH	0.68
7 0352 0738 1143 1952 WE	2.24 2.07 2.21 1.34	22 0315 0556 0941 1837 TH	2.12 2.08 2.25 1.21	7 0231 0934 1445 1710 SA	2.15 1.34 1.64 1.62	22 0104 0814 1524 1705 SU	2.24 1.14 1.71 1.70	7 0024 0943 MO	2.20 0.95	22 0909 TU	0.68	7 1030 TH	0.77	22 0220 1056 FR	2.42 0.68
8 0357 0846 1311 2045 TH	2.23 1.90 2.09 1.47	23 0235 0720 1148 1929 FR	2.12 1.86 2.09 1.37	8 0212 1017 SU	2.19 1.13	23 0122 0921 MO	2.35 0.85	8 0039 1021 TU	2.26 0.80	23 0041 1013 WE	2.47 0.55	8 0051 1114 FR	2.32 0.72	23 0324 1142 2115 2226 SA	2.43 0.71 1.96 1.95
9 0400 0949 1420 2122 FR	2.23 1.71 2.00 1.61	24 0215 0829 1338 2016 SA	2.19 1.58 2.00 1.56	9 0213 1054 MO	2.25 0.95	24 0149 1022 TU	2.45 0.60	9 0103 1100 WE	2.30 0.69	24 0205 1109 TH	2.48 0.47	9 0239 1154 SA	2.35 0.70	24 0415 1222 2028 2341 SU	2.42 0.79 1.92 1.81
10 0343 1038 1522 2141 SA	2.23 1.51 1.93 1.73	25 0219 0931 1503 2056 SU	2.30 1.25 1.94 1.76	10 0227 1128 TU	2.31 0.79	25 0227 1118 WE	2.53 0.43	10 0141 1140 TH	2.32 0.63	25 0318 1200 FR	2.50 0.45	10 0338 1230 SU	2.40 0.71	25 0458 1255 1842 MO	2.37 0.90 1.95
11 0321 1116 1626 2147 SU	2.28 1.31 1.89 1.84	26 0240 1030 1945 2124 MO	2.43 0.93 1.94 1.93	11 0247 1201 WE	2.35 0.69	26 0315 1210 TH	2.56 0.34	11 0233 1218 FR	2.33 0.60	26 0420 1245 SA	2.50 0.49	11 0426 1302 2136 2356 MO	2.44 0.75 1.88 1.84	26 0040 0535 1322 1837 TU	1.67 2.27 1.05 2.03
12 0328 1150 2036 2153 MO	2.35 1.12 1.92 1.91	27 0309 1125 TU	2.55 0.65	12 0311 1237 TH	2.37 0.63	27 0413 1259 FR	2.57 0.33	12 0330 1256 SA	2.36 0.60	27 0512 1326 2242 SU	2.48 0.58 1.89	12 0510 1333 1905 TU	2.44 0.83 1.96	27 0131 0609 1342 1853 WE	1.54 2.14 1.21 2.12
13 0344 1222 TU	2.42 0.97	28 0344 1217 WE	2.63 0.46	13 0340 1313 FR	2.38 0.62	28 0513 1345 SA	2.55 0.39	13 0423 1331 SU	2.40 0.62	28 0015 0554 1402 2223 MO	1.87 2.41 0.71 1.89	13 0100 0555 1402 1930 WE	1.68 2.37 0.97 2.08	28 0218 0645 1355 1913 TH	1.41 1.99 1.38 2.20
14 0403 1254 WE	2.46 0.86	29 0423 1307 TH	2.67 0.37	14 0415 1349 SA	2.40 0.64	29 0607 1430 SU	2.50 0.51	14 0511 1405 MO	2.43 0.66	29 0132 0630 1432 2230 TU	1.77 2.30 0.87 1.93	14 0200 0643 1430 2001 TH	1.50 2.22 1.16 2.20	29 0303 0724 1400 1933 FR	1.31 1.83 1.53 2.27
15 0423 1328 TH	2.49 0.81	30 0511 1357 FR	2.66 0.39	15 0459 1426 SU	2.42 0.67	30 0653 1510 MO	2.41 0.67	15 0556 1437 2255 TU	2.42 0.74 1.90	30 0237 0705 1456 2237 WE	1.67 2.13 1.06 1.98	15 0300 0736 1455 2032 FR	1.31 2.01 1.39 2.30	30 0348 0814 1015 1955 SA	1.22 1.67 1.63 2.33
		31 0606 1446 SA	2.62 0.48					31 0336 0742 1510 2050 TH	1.57 1.94 1.25 2.06			31 0437 2017 SU	1.15 2.36		

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 38' E

Times and Heights of High and Low Waters

2025

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1 0530 2044 MO	1.10 2.37	16 0600 2119 TU	0.82 2.52	1 0540 2023 WE	1.08 2.43	16 0655 1706 1920 2238 TH	1.01 2.32 2.28 2.35	1 0656 1634 1945 2218 SA	1.25 2.34 2.27 2.32	16 0042 0754 1526 2146 SU	2.13 1.59 2.51 1.78	1 0630 1403 2023 MO	1.64 2.59 1.91 TU	16 1359 2212 TU	2.78 1.49		
2 0633 2119 TU	1.05 2.36	17 0720 2213 WE	0.86 2.43	2 0649 2124 TH	1.09 2.39	17 0804 1649 2036 FR	1.12 2.27 2.12	2 0751 1545 2042 SU	1.33 2.31 2.06	17 0211 0821 1517 2233 MO	2.02 1.77 2.54 1.56	2 0106 0700 1358 2121 TU	2.13 1.85 2.71 1.57 WE	17 1400 2247 WE	2.84 1.30		
3 0749 2206 WE	1.01 2.35	18 0837 TH	0.88	3 0800 2240 FR	1.09 2.34	18 0100 0902 1646 2142 SA	2.25 1.23 2.26 1.93	3 0100 0839 1502 2134 MO	2.23 1.46 2.37 1.78	18 0335 0744 1503 2311 TU	1.96 1.92 2.59 1.35	3 0257 0628 1413 2215 WE	2.10 2.05 2.85 1.24 TH	18 1413 2320 TH	2.89 1.16		
4 0858 2306 TH	0.96 2.34	19 0105 0940 1915 2104 FR	2.35 0.92 2.12 2.09	4 0859 1902 2037 SA	1.10 2.17 2.16	19 0213 0948 1645 2238 SU	2.18 1.35 2.26 1.73	4 0221 0919 1503 2226 TU	2.19 1.63 2.50 1.46	19 1510 2343 WE	2.66 1.16	4 1437 2307 TH	2.98 0.96 FR	19 1431 2354 FR	2.93 1.07		
5 0952 FR	0.91	20 0222 1031 1836 2212 SA	2.33 0.98 2.06 1.94	5 0110 0946 1730 2136 SU	2.31 1.13 2.09 1.98	20 0310 1021 1616 2322 MO	2.11 1.50 2.30 1.53	5 0329 0955 1524 2315 WE	2.15 1.82 2.65 1.14	20 1524 TH	2.72	5 1509 2357 FR	3.09 0.76	20 1455 SA	2.95		
6 0106 1037 SA	2.33 0.89	21 0318 1112 1817 2311 SU	2.30 1.07 2.06 1.76	6 0225 1026 1603 2230 MO	2.31 1.21 2.15 1.74	21 0359 1041 1607 2359 TU	2.04 1.65 2.37 1.33	6 0440 1023 1552 TH	2.12 2.02 2.79	21 0015 1541 FR	1.03 2.77	6 1547 SA	3.15	21 0029 1523 SU	1.03 2.96		
7 0236 1117 2044 2214 SU	2.37 0.90 1.97 1.96	22 0403 1145 1716 MO	2.25 1.19 2.10	7 0322 1100 1614 2320 TU	2.30 1.34 2.28 1.46	22 0445 1052 1619 WE	1.99 1.78 2.45	7 0004 0942 1033 1624 FR	0.86 2.18 2.18 2.89	22 0046 1559 SA	0.95 2.79	7 0046 1634 SU	0.66 3.16	22 0103 1557 MO	1.04 2.97		
8 0330 1152 1719 2316 MO	2.40 0.95 1.98 1.78	23 0000 0444 1208 1717 TU	1.58 2.17 1.33 2.18	8 0416 1131 1639 WE	2.26 1.50 2.44	23 0032 0533 1058 1635 TH	1.16 1.94 1.89 2.53	8 0053 1659 SA	0.66 2.95	23 0119 1619 SU	0.92 2.80	8 0135 1729 MO	0.65 3.12	23 0138 1637 TU	1.07 2.99		
9 0418 1222 1731 TU	2.40 1.05 2.10	24 0042 0522 1224 1732 WE	1.41 2.08 1.47 2.27	9 0010 0514 1200 1709 TH	1.17 2.18 1.69 2.58	24 0104 0632 0703 1652 FR	1.03 1.92 1.91 2.58	9 0143 1738 SU	0.58 2.96	24 0153 1645 MO	0.94 2.81	9 0223 1826 TU	0.74 3.05	24 0211 1719 WE	1.12 2.99		
10 0011 0507 1251 1759 WE	1.55 2.34 1.20 2.25	25 0121 0600 1236 1750 TH	1.26 1.98 1.61 2.36	10 0100 0616 1225 1742 FR	0.91 2.07 1.88 2.69	25 0137 1710 SA	0.95 2.62	10 0234 1824 MO	0.60 2.90	25 0229 1717 TU	0.99 2.80	10 0311 1917 WE	0.88 2.92	25 0244 1803 TH	1.18 2.96		
11 0103 0557 1319 1830 TH	1.31 2.22 1.39 2.39	26 0158 0641 1241 1809 FR	1.14 1.88 1.73 2.42	11 0150 1108 1231 1815 SA	0.73 2.06 2.04 2.75	26 0211 1729 SU	0.93 2.63	11 0327 1918 TU	0.71 2.81	26 0306 1757 WE	1.06 2.79	11 0357 1356 1606 2004 TH	1.07 2.55 2.51 2.74	26 0315 1848 FR	1.26 2.87		
12 0157 0653 1345 1903 FR	1.09 2.06 1.60 2.49	27 0234 0730 0903 1828 SA	1.06 1.79 1.77 2.47	12 0242 1849 SU	0.66 2.76	27 0246 1751 MO	0.95 2.63	12 0421 2015 WE	0.87 2.67	27 0345 1842 TH	1.13 2.74	12 0440 1344 1742 2050 FR	1.28 2.59 2.37 2.51	27 0348 1300 1603 1937 SA	1.38 2.61 2.51 2.71		
13 0251 1119 1356 1934 SA	0.92 1.88 1.81 2.56	28 0313 1847 SU	1.03 2.48	13 0337 1928 MO	0.68 2.71	28 0326 1818 TU	1.00 2.61	13 0518 1525 1802 2113 TH	1.05 2.45 2.39 2.50	28 0426 1933 FR	1.22 2.64	13 0516 1352 1906 2146 SA	1.50 2.65 2.18 2.26	28 0420 1246 1729 2035 SU	1.55 2.67 2.31 2.48		
14 0348 2005 SU	0.83 2.59	29 0355 1911 MO	1.03 2.48	14 0437 2015 TU	0.77 2.62	29 0411 1853 WE	1.06 2.58	14 0615 1515 1927 2231 FR	1.23 2.46 2.22 2.30	29 0509 1450 1806 2035 SA	1.32 2.51 2.43 2.49	14 0538 1405 2028 SU	1.72 2.70 1.95	29 0445 1243 1842 2215 MO	1.76 2.76 2.05 2.21		
15 0451 2038 MO	0.80 2.58	30 0443 1940 TU	1.05 2.46	15 0544 2113 WE	0.89 2.50	30 0501 1942 TH	1.13 2.53	15 0709 1519 2043 SA	1.41 2.48 2.01	30 0551 1421 1920 2205 SU	1.46 2.53 2.20 2.28	15 0030 0522 1408 2130 MO	2.04 1.90 2.74 1.71	30 0451 1243 1953 TU	1.98 2.87 1.74		
						31 0558 1736 1830 2050 FR	1.18 2.42 2.41 2.44									31 1253 2101 WE	2.99 1.44

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter