

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

DERBY – WESTERN AUSTRALIA

LAT 17° 18' S LONG 123° 36' E

Times and Heights of High and Low Waters

2025

Local Time

JANUARY		FEBRUARY		MARCH		APRIL									
Time	m	Time	m	Time	m	Time	m								
1	0242 10.68 0945 1.63 WE 1522 10.24 2153 2.78	16	0326 10.77 1026 1.64 TH 1559 10.48 2234 2.52	1	0346 11.31 1048 1.02 SA 1615 11.18 2301 1.48	16	0411 10.98 1100 1.37 SU 1629 11.08 2313 1.53	1	0256 11.36 0953 0.87 SA 1520 11.37 2209 0.98	16	0322 11.06 1007 1.27 SU 1534 11.22 2221 1.12	1	0341 11.64 1031 0.63 TU 1553 12.18 2254 0.04	16	0346 10.90 1028 1.47 WE 1551 11.36 2248 0.97
2	0316 10.77 1023 1.68 TH 1554 10.34 2230 2.70	17	0400 10.75 1057 1.75 FR 1628 10.52 2306 2.46	2	0421 11.47 1120 0.88 SU 1647 11.41 2336 1.21	17	0436 11.00 1124 1.33 MO 1652 11.22 2339 1.43	2	0330 11.63 1027 0.57 SU 1551 11.76 2244 0.49	17	0345 11.12 1031 1.17 MO 1558 11.42 2247 0.92	2	0416 11.46 1101 0.89 WE 1625 12.04 2325 0.46	17	0412 10.67 1053 1.82 TH 1614 11.11 2315 1.44
3	0351 10.86 1059 1.70 FR 1627 10.48 2308 2.56	18	0430 10.68 1124 1.84 SA 1655 10.57 2334 2.40	3	0458 11.38 1151 1.00 MO 1719 11.43	18	0501 10.90 1147 1.46 TU 1715 11.19	3	0404 11.76 1059 0.44 MO 1623 11.99 2317 0.30	18	0411 11.12 1056 1.16 TU 1621 11.48 2313 0.92	3	0449 11.00 1130 1.50 TH 1655 11.59 2354 1.25	18	0433 10.34 1115 2.37 FR 1633 10.80 2337 2.05
4	0428 10.90 1132 1.72 SA 1701 10.59 2345 2.45	19	0459 10.59 1149 1.90 SU 1720 10.63	4	0010 1.28 0532 11.03 TU 1220 1.41 1749 11.26	19	0004 1.56 0526 10.63 WE 1210 1.87 1735 10.97	4	0438 11.61 1128 0.66 TU 1653 11.93 2348 0.56	19	0435 10.96 1119 1.41 WE 1643 11.33 2338 1.24	4	0519 10.37 1156 2.33 FR 1721 10.96	19	0454 10.02 1133 2.92 SA 1653 10.52 2358 2.62
5	0507 10.80 1206 1.83 SU 1737 10.61	20	0002 2.35 0527 10.46 MO 1214 2.02 1746 10.63	5	0041 1.64 0605 10.52 WE 1247 2.00 1818 10.98	20	0028 1.97 0547 10.19 TH 1230 2.50 1754 10.58	5	0511 11.17 1156 1.23 WE 1721 11.62	20	0457 10.63 1142 1.95 TH 1701 11.03	5	0021 2.20 0548 9.67 SA 1221 3.21 1749 10.18	20	0516 9.70 1149 3.37 SU 1717 10.18
6	0021 2.43 0546 10.55 MO 1238 2.06 1814 10.56	21	0030 2.41 0556 10.20 TU 1239 2.31 1814 10.46	6	0111 2.17 0638 9.91 TH 1315 2.70 1849 10.56	21	0050 2.57 0609 9.60 FR 1246 3.25 1815 10.04	6	0017 1.20 0540 10.56 TH 1221 2.01 1745 11.16	21	0000 1.81 0515 10.23 FR 1159 2.61 1716 10.70	6	0049 3.16 0623 8.86 SU 1249 4.17 1830 9.08	21	0019 3.13 0548 9.25 MO 1215 3.87 1756 9.54
7	0058 2.52 0628 10.19 TU 1312 2.40 1852 10.45	22	0058 2.65 0626 9.74 WE 1304 2.83 1842 10.08	7	0145 2.84 0719 9.13 FR 1348 3.55 1934 9.79	22	0113 3.29 0636 8.81 SA 1306 4.10 1845 9.22	7	0045 2.01 0607 9.87 FR 1244 2.86 1812 10.54	22	0020 2.47 0534 9.79 SA 1211 3.25 1735 10.29	7	0130 4.20 0741 7.87 MO 1348 5.28 2035 7.89	22	0057 3.73 0643 8.53 TU 1307 4.58 1909 8.58
8	0138 2.72 0714 9.72 WE 1350 2.85 1938 10.22	23	0127 3.11 0659 9.08 TH 1330 3.55 1916 9.48	8	0232 3.69 0835 8.14 SA 1447 4.59 2116 8.82	23	0145 4.16 0724 7.72 SU 1347 5.14 1946 8.07	8	0111 2.91 0640 9.03 SA 1310 3.82 1849 9.53	23	0038 3.12 0600 9.17 SU 1228 3.92 1806 9.54	8	0359 4.98 1051 7.85 TU 1750 5.02 2334 8.51	23	0209 4.41 0843 7.97 WE 1505 5.10 2148 8.28
9	0225 3.05 0813 9.12 TH 1439 3.47 2042 9.83	24	0200 3.73 0745 8.24 FR 1405 4.41 2008 8.75	9	0440 4.33 1112 7.91 SU 1724 5.01 2344 8.89	24	0315 5.11 1124 7.22 MO 1707 5.75 2346 8.14	9	0149 3.96 0746 7.88 SU 1400 5.02 2031 8.17	24	0109 3.92 0645 8.17 MO 1310 4.88 1902 8.33	9	0636 3.83 1224 9.17 WE 1906 3.37	24	0428 4.36 1106 8.74 TH 1758 4.27 2338 9.29
10	0335 3.46 0945 8.62 FR 1557 4.09 2217 9.56	25	0255 4.43 0930 7.52 SA 1525 5.26 2216 8.31	10	0707 3.53 1300 8.91 MO 1931 3.99	25	0700 4.17 1255 8.52 TU 1923 4.49	10	0414 4.91 1118 7.67 MO 1759 5.27 2354 8.56	25	0215 4.91 0932 7.19 TU 1546 5.80 2309 7.92	10	0042 9.72 0729 2.55 TH 1311 10.23 1950 2.15	25	0639 3.39 1212 9.89 FR 1913 2.81
11	0530 3.52 1126 8.65 SA 1748 4.25 2345 9.69	26	0543 4.42 1157 7.88 SU 1807 5.01	11	0112 9.76 0813 2.35 TU 1359 9.95 2030 2.90	26	0059 9.37 0759 2.82 WE 1340 9.69 2014 3.21	11	0705 3.68 1254 9.09 TU 1930 3.59	26	0625 4.56 1215 8.47 WE 1859 4.47	11	0126 10.52 0808 1.82 FR 1346 10.78 2026 1.54	26	0036 10.24 0734 2.38 SA 1259 10.74 2000 1.68
12	0708 2.91 1255 9.16 SU 1923 3.78	27	0004 8.84 0715 3.46 MO 1312 8.85 1930 4.14	12	0205 10.50 0900 1.60 WE 1441 10.53 2115 2.25	27	0145 10.35 0841 1.84 TH 1416 10.46 2055 2.28	12	0107 9.82 0800 2.26 WE 1344 10.27 2018 2.29	27	0029 9.29 0730 3.06 TH 1304 9.79 1950 2.92	12	0200 10.83 0840 1.60 SA 1414 10.98 2057 1.29	27	0123 10.80 0817 1.77 SU 1339 11.27 2042 0.95
13	0101 10.06 0812 2.22 MO 1359 9.78 2026 3.21	28	0111 9.66 0812 2.52 TU 1400 9.67 2024 3.35	13	0246 10.84 0939 1.35 TH 1514 10.72 2151 1.99	28	0222 10.97 0918 1.25 FR 1448 10.95 2133 1.58	13	0154 10.69 0841 1.46 TH 1420 10.84 2056 1.64	28	0116 10.40 0813 1.94 FR 1344 10.69 2031 1.79	13	0228 10.90 0908 1.55 SU 1437 11.13 2125 1.10	28	0203 11.04 0856 1.45 MO 1415 11.61 2120 0.51
14	0201 10.45 0904 1.77 TU 1446 10.20 2116 2.82	29	0159 10.31 0858 1.88 WE 1437 10.19 2109 2.79	14	0318 10.92 1010 1.37 FR 1542 10.79 2221 1.88	14	0318 10.92 1010 1.37 FR 1542 10.79 2221 1.88	14	0230 11.01 0915 1.24 FR 1449 10.99 2128 1.43	29	0156 11.05 0851 1.29 SA 1417 11.25 2110 1.01	14	0254 10.95 0934 1.46 MO 1500 11.32 2152 0.89	29	0242 11.15 0931 1.29 TU 1450 11.86 2157 0.32
15	0247 10.69 0948 1.61 WE 1526 10.40 2159 2.62	30	0237 10.73 0937 1.52 TH 1511 10.52 2148 2.37	15	0345 10.94 1036 1.41 SA 1605 10.90 2247 1.72	15	0345 10.94 1036 1.41 SA 1605 10.90 2247 1.72	15	0258 11.04 0943 1.28 SA 1513 11.05 2155 1.32	30	0231 11.39 0926 0.91 SU 1449 11.66 2145 0.44	15	0320 10.98 1001 1.37 TU 1526 11.43 2221 0.80	30	0320 11.16 1005 1.27 WE 1526 11.93 2231 0.42
		31	0312 11.04 1014 1.26 FR 1543 10.84 2226 1.92					31	0306 11.58 1000 0.68 MO 1521 12.01 2220 0.07						

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Chart Datum

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

DERBY – WESTERN AUSTRALIA

LAT 17° 18' S LONG 123° 36' E

Times and Heights of High and Low Waters

2025

Local Time

MAY		JUNE		JULY		AUGUST	
Time	m	Time	m	Time	m	Time	m
1 0358 11.00 1038 1.50 TH 1602 11.72 2305 0.89	16 0354 10.22 1031 2.42 FR 1551 10.72 2257 1.89	1 0509 9.96 1136 2.98 SU 1713 10.24	16 0449 9.88 1127 2.97 MO 1651 10.34 2355 2.38	1 0000 2.13 0535 10.05 TU 1213 2.69 1744 10.04	16 0519 10.51 1205 1.95 WE 1729 10.58	1 0030 1.95 0602 10.35 FR 1247 2.15 1815 9.72	16 0030 1.80 0553 10.69 SA 1250 1.83 1813 9.81
2 0434 10.62 1109 2.03 FR 1637 11.21 2336 1.65	17 0419 9.98 1056 2.82 SA 1617 10.50 2323 2.35	2 0005 2.58 0547 9.63 MO 1215 3.42 1754 9.71	17 0525 9.88 1203 3.00 TU 1731 10.18	2 0030 2.34 0608 9.96 WE 1246 2.82 1819 9.72	17 0023 1.70 0552 10.49 TH 1239 2.01 1805 10.27	2 0054 2.48 0628 9.97 SA 1315 2.65 1845 9.08	17 0055 2.46 0620 10.35 SU 1319 2.46 1847 9.15
3 0510 10.08 1140 2.76 SA 1711 10.52	18 0445 9.78 1120 3.16 SU 1645 10.29 2349 2.73	3 0042 3.05 0629 9.33 TU 1259 3.79 1842 9.20	18 0029 2.49 0604 9.87 WE 1244 3.01 1816 9.96	3 0100 2.60 0643 9.80 TH 1321 3.03 1859 9.30	18 0053 2.01 0626 10.40 FR 1314 2.22 1844 9.87	3 0119 3.21 0658 9.36 SU 1344 3.32 1925 8.26	18 0123 3.20 0658 9.73 MO 1358 3.25 1943 8.22
4 0007 2.52 0545 9.49 SU 1211 3.54 1747 9.74	19 0515 9.60 1147 3.44 MO 1720 10.02	4 0125 3.45 0719 9.06 WE 1354 4.07 1944 8.72	19 0107 2.63 0649 9.85 TH 1329 3.04 1910 9.67	4 0134 3.01 0722 9.49 FR 1400 3.35 1947 8.75	19 0125 2.43 0702 10.23 SA 1352 2.55 1930 9.33	4 0148 4.09 0741 8.55 MO 1426 4.12 2046 7.39	19 0208 4.14 0806 8.69 TU 1524 4.14 2215 7.58
5 0041 3.34 0630 8.89 MO 1250 4.31 1843 8.87	20 0020 3.04 0557 9.37 TU 1226 3.70 1809 9.60	5 0220 3.80 0825 8.84 TH 1509 4.19 2110 8.44	20 0152 2.82 0743 9.80 FR 1422 3.09 2015 9.33	5 0212 3.58 0814 9.06 SA 1449 3.78 2058 8.20	20 0203 2.99 0750 9.86 SU 1442 3.05 2041 8.66	5 0244 5.00 0935 7.83 TU 1658 4.54 2337 7.50	20 0423 4.86 1102 8.39 WE 1827 3.78
6 0130 4.10 0742 8.32 TU 1407 4.97 2022 8.16	21 0104 3.34 0656 9.10 WE 1324 3.98 1921 9.12	6 0331 4.06 0952 8.87 FR 1642 4.01 2242 8.60	21 0246 3.12 0851 9.75 SA 1532 3.17 2142 9.12	6 0308 4.20 0930 8.71 SU 1622 4.03 2238 8.06	21 0301 3.69 0912 9.33 MO 1615 3.50 2232 8.33	6 0540 5.03 1153 8.28 WE 1859 3.67	21 0027 8.47 0700 4.00 TH 1245 9.36 1947 2.45
7 0314 4.55 0941 8.24 WE 1635 4.73 2239 8.42	22 0208 3.61 0816 8.98 TH 1448 4.05 2058 8.93	7 0504 4.05 1105 9.21 SA 1811 3.42 2348 9.00	22 0359 3.43 1015 9.83 SU 1709 3.08 2306 9.20	7 0449 4.49 1100 8.78 MO 1812 3.63	22 0444 4.15 1101 9.22 TU 1821 3.28	7 0058 8.49 0718 4.08 TH 1302 9.23 1958 2.63	22 0133 9.66 0808 2.66 FR 1345 10.31 2038 1.46
8 0523 4.18 1121 8.98 TH 1818 3.65 2354 9.23	23 0331 3.66 0953 9.31 FR 1627 3.68 2238 9.31	8 0626 3.66 1200 9.66 SU 1903 2.72	23 0530 3.53 1130 10.08 MO 1847 2.58	8 0002 8.46 0628 4.12 TU 1211 9.23 1916 2.89	23 0014 8.68 0643 3.91 WE 1231 9.61 1945 2.50	8 0145 9.41 0812 3.15 FR 1348 10.01 2043 1.89	23 0219 10.40 0855 1.80 SA 1429 10.78 2119 1.06
9 0640 3.31 1218 9.78 FR 1909 2.64	24 0501 3.46 1112 9.98 SA 1819 2.90 2349 9.86	9 0041 9.44 0715 3.18 MO 1245 10.09 1946 2.13	24 0020 9.43 0701 3.29 TU 1234 10.33 1951 2.03	9 0107 9.07 0730 3.51 WE 1309 9.77 2008 2.26	24 0132 9.38 0802 3.20 TH 1341 10.13 2045 1.84	9 0222 9.98 0855 2.51 SA 1425 10.48 2121 1.48	24 0255 10.66 0933 1.43 SU 1502 10.87 2153 1.05
10 0045 9.88 0724 2.67 SA 1259 10.33 1947 1.98	25 0641 3.00 1211 10.58 SU 1924 1.99	10 0126 9.82 0757 2.78 TU 1327 10.44 2027 1.71	25 0127 9.70 0803 2.95 WE 1332 10.54 2044 1.69	10 0156 9.59 0818 3.04 TH 1355 10.16 2053 1.89	25 0226 9.93 0859 2.61 FR 1431 10.49 2131 1.50	10 0254 10.28 0933 2.07 SU 1458 10.76 2157 1.24	25 0324 10.70 1005 1.32 MO 1530 10.85 2221 1.14
11 0123 10.27 0800 2.31 SU 1330 10.68 2021 1.56	26 0047 10.22 0739 2.52 MO 1300 10.96 2014 1.37	11 0206 10.05 0835 2.54 WE 1405 10.61 2105 1.55	26 0222 9.94 0854 2.72 TH 1424 10.69 2131 1.56	11 0236 9.86 0902 2.79 FR 1434 10.35 2134 1.78	26 0308 10.22 0944 2.24 SA 1512 10.65 2212 1.41	11 0324 10.54 1009 1.66 MO 1529 10.99 2230 1.00	26 0348 10.77 1033 1.21 TU 1557 10.85 2246 1.14
12 0156 10.48 0831 2.08 MO 1359 10.94 2054 1.26	27 0138 10.40 0825 2.23 TU 1345 11.19 2058 1.06	12 0244 10.10 0913 2.51 TH 1440 10.62 2142 1.63	27 0309 10.10 0941 2.57 FR 1509 10.76 2215 1.59	12 0310 9.96 0942 2.68 SA 1508 10.46 2212 1.76	27 0343 10.34 1022 2.04 SU 1546 10.68 2245 1.44	12 0355 10.83 1044 1.22 TU 1602 11.16 2302 0.81	27 0413 10.91 1100 1.07 WE 1624 10.82 2311 1.13
13 0227 10.59 0902 1.93 TU 1429 11.10 2126 1.09	28 0225 10.49 0906 2.10 WE 1428 11.33 2138 0.99	13 0317 10.02 0947 2.64 FR 1512 10.54 2217 1.86	28 0350 10.19 1023 2.50 SA 1551 10.72 2254 1.72	13 0342 10.05 1019 2.53 SU 1540 10.59 2245 1.69	28 0414 10.42 1055 1.91 MO 1618 10.66 2313 1.48	13 0427 11.08 1118 0.90 WE 1637 11.14 2333 0.84	28 0438 10.99 1126 1.02 TH 1650 10.68 2335 1.30
14 0258 10.58 0933 1.91 WE 1458 11.10 2158 1.15	29 0308 10.52 0945 2.07 TH 1510 11.33 2217 1.14	14 0347 9.91 1020 2.80 SA 1542 10.47 2250 2.09	29 0428 10.20 1102 2.52 SU 1630 10.56 2328 1.92	14 0413 10.22 1055 2.29 MO 1615 10.72 2319 1.58	29 0442 10.50 1125 1.80 TU 1649 10.58 2339 1.53	14 0458 11.12 1151 0.92 TH 1711 10.84	29 0501 10.90 1151 1.22 FR 1715 10.37 2358 1.73
15 0327 10.44 1003 2.08 TH 1526 10.95 2229 1.44	30 0350 10.46 1023 2.21 FR 1551 11.14 2254 1.50	15 0417 9.88 1053 2.92 SU 1615 10.42 2322 2.26	30 0502 10.14 1138 2.59 MO 1708 10.32	15 0445 10.41 1130 2.06 TU 1651 10.74 2351 1.55	30 0510 10.56 1153 1.76 WE 1719 10.42	15 0002 1.21 0527 10.96 FR 1221 1.27 1742 10.36	30 0522 10.63 1215 1.69 SA 1735 9.91
31 0430 10.27 1100 2.53 SA 1632 10.75 2330 2.03				31 0005 1.65 0536 10.53 TH 1220 1.86 1747 10.15		31 0019 2.39 0540 10.21 SU 1238 2.35 1755 9.33	

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Chart Datum

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

DERBY – WESTERN AUSTRALIA

LAT 17° 18' S LONG 123° 36' E

Times and Heights of High and Low Waters

2025

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0036 3.17 0558 9.63 MO 1259 3.12 1819 8.57		16 0051 3.62 0620 9.38 TU 1326 3.65 1909 7.92		1 0015 3.98 0545 9.08 WE 1251 3.90 1821 7.99		16 0134 4.98 0754 7.84 TH 1500 4.76 2154 7.75		1 0222 5.02 0849 7.85 SA 1542 4.53 2225 8.36		16 0538 3.69 1123 8.94 SU 1804 3.56 2347 9.68		1 0336 3.89 0948 8.77 MO 1609 3.83 2229 9.60		16 0536 3.68 1123 8.65 TU 1753 4.13 2336 9.47	
2 0054 4.01 0623 8.81 TU 1328 4.02 1859 7.53		17 0135 4.66 0736 8.07 WE 1454 4.68 2219 7.38		2 0052 4.82 0630 7.97 TH 1348 4.84 2026 6.98		17 0447 4.92 1058 8.17 FR 1755 4.01 2348 8.93		2 0459 4.44 1109 8.67 SU 1753 3.81 2340 9.48		17 0643 2.65 1222 9.65 MO 1900 2.88		2 0524 3.37 1115 9.25 TU 1749 3.58 2336 10.21		17 0645 3.02 1228 9.12 WE 1857 3.66	
3 0130 5.00 0712 7.66 WE 1430 5.00 2317 6.86		18 0448 5.18 1118 8.11 TH 1830 3.86		3 0230 5.71 1100 7.36 FR 1753 4.75 2353 8.10		18 0636 3.33 1215 9.44 SA 1900 2.67		3 0643 3.07 1211 9.72 MO 1903 2.79		18 0035 10.25 0728 1.90 TU 1307 10.11 1940 2.48		3 0653 2.45 1220 9.77 WE 1907 3.05		18 0030 9.89 0732 2.38 TH 1319 9.62 1943 3.21	
4 0452 5.72 1145 7.62 TH 1845 4.28		19 0023 8.73 0702 3.53 FR 1243 9.50 1933 2.30		4 0638 4.45 1213 8.80 SA 1905 3.27		19 0044 10.09 0726 1.95 SU 1305 10.38 1945 1.80		4 0030 10.43 0734 1.83 TU 1259 10.44 1950 2.07		19 0112 10.61 0805 1.47 WE 1344 10.37 2015 2.26		4 0032 10.70 0748 1.66 TH 1316 10.14 2000 2.64		19 0117 10.29 0815 1.89 FR 1402 10.00 2024 2.88	
5 0039 8.20 0710 4.33 FR 1247 8.97 1940 2.88		20 0118 10.07 0754 1.99 SA 1332 10.56 2017 1.30		5 0041 9.45 0728 2.87 SU 1258 10.01 1948 2.10		20 0123 10.76 0805 1.19 MO 1343 10.79 2020 1.50		5 0112 11.05 0817 1.00 WE 1342 10.80 ○ 2031 1.69		20 0145 10.84 0839 1.21 TH 1416 10.51 ● 2047 2.14		5 0122 11.02 0835 1.20 FR 1407 10.36 ○ 2045 2.41		20 0159 10.55 0855 1.65 SA 1441 10.18 ● 2102 2.76	
6 0121 9.43 0757 2.96 SA 1330 10.06 2021 1.82		21 0158 10.80 0835 1.14 SU 1411 11.01 2054 0.97		6 0119 10.44 0809 1.66 MO 1336 10.77 2028 1.37		21 0154 10.98 0839 0.91 TU 1414 10.87 ● 2050 1.49		6 0150 11.41 0858 0.52 TH 1421 10.95 2109 1.52		21 0215 10.99 0912 1.09 FR 1449 10.53 2119 2.12		6 0208 11.20 0919 1.03 SA 1453 10.49 2128 2.32		21 0235 10.62 0932 1.67 SU 1515 10.17 2138 2.82	
7 0157 10.26 0836 1.97 SU 1405 10.73 2059 1.21		22 0230 11.00 0909 0.88 MO 1442 11.03 ● 2124 1.04		7 0153 11.04 0847 0.85 TU 1411 11.15 ○ 2103 1.00		22 0219 11.07 0909 0.82 WE 1440 10.87 2117 1.50		7 0227 11.63 0936 0.33 FR 1500 10.98 2145 1.51		22 0245 10.98 0945 1.17 SA 1519 10.42 2149 2.29		7 0251 11.27 1000 1.10 SU 1535 10.54 2208 2.35		22 0306 10.57 1007 1.85 MO 1543 10.10 2212 2.94	
8 0228 10.74 0914 1.29 MO 1437 11.09 ○ 2132 0.86		23 0255 11.00 0939 0.85 TU 1507 10.96 2150 1.14		8 0225 11.42 0924 0.32 WE 1445 11.32 2138 0.82		23 0244 11.18 0937 0.73 TH 1507 10.86 2145 1.49		8 0303 11.70 1013 0.41 SA 1539 10.87 2219 1.69		23 0314 10.82 1015 1.46 SU 1546 10.20 2218 2.60		8 0334 11.20 1040 1.35 MO 1616 10.49 2247 2.52		23 0334 10.52 1040 2.05 TU 1609 10.10 2244 2.99	
9 0258 11.08 0948 0.76 TU 1509 11.32 2206 0.61		24 0316 11.08 1005 0.77 WE 1531 10.96 2215 1.12		9 0256 11.70 1000 0.00 TH 1519 11.35 2211 0.79		24 0309 11.25 1005 0.71 FR 1534 10.76 2212 1.59		9 0341 11.54 1047 0.83 SU 1617 10.57 2253 2.13		24 0340 10.59 1045 1.89 MO 1611 9.98 2245 2.95		9 0416 10.93 1117 1.76 TU 1656 10.31 2327 2.81		24 0404 10.52 1110 2.16 WE 1637 10.18 2316 2.95	
10 0328 11.39 1023 0.32 WE 1542 11.42 2238 0.50		25 0340 11.21 1031 0.66 TH 1557 10.92 2240 1.15		10 0329 11.83 1033 -0.02 FR 1554 11.19 2243 1.03		25 0335 11.14 1033 0.92 SA 1600 10.51 2238 1.94		10 0418 11.10 1121 1.53 MO 1655 10.11 2326 2.77		25 0405 10.38 1111 2.33 TU 1635 9.82 2310 3.25		10 0459 10.52 1154 2.24 WE 1734 10.06		25 0437 10.52 1141 2.21 TH 1709 10.26 2351 2.90	
11 0359 11.59 1057 0.13 TH 1615 11.29 2309 0.67		26 0404 11.22 1059 0.71 FR 1622 10.72 2305 1.41		11 0400 11.70 1106 0.37 SA 1628 10.77 2312 1.59		26 0359 10.85 1100 1.40 SU 1621 10.17 2301 2.47		11 0455 10.45 1154 2.36 TU 1732 9.57		26 0432 10.19 1137 2.68 WE 1704 9.70 2338 3.47		11 0007 3.15 0540 10.03 TH 1230 2.69 1814 9.81		26 0513 10.42 1212 2.30 FR 1744 10.27	
12 0429 11.54 1129 0.36 FR 1648 10.89 2337 1.21		27 0428 11.01 1124 1.08 SA 1645 10.35 2328 1.96		12 0431 11.27 1136 1.14 SU 1700 10.17 2339 2.37		27 0419 10.50 1123 2.03 MO 1642 9.83 2321 3.02		12 0000 3.46 0535 9.72 WE 1230 3.14 ● 1816 9.06		27 0505 9.95 1207 2.97 TH 1740 9.53		12 0049 3.45 0625 9.53 FR 1309 3.09 ● 1858 9.56		27 0027 2.89 0552 10.21 SA 1245 2.47 1820 10.23	
13 0457 11.23 1159 0.99 SA 1717 10.29		28 0446 10.64 1147 1.70 SU 1703 9.92 2346 2.65		13 0500 10.65 1204 2.09 MO 1730 9.50		28 0439 10.17 1145 2.63 TU 1703 9.51 2338 3.48		13 0043 4.12 0628 8.95 TH 1316 3.82 1919 8.61		28 0015 3.69 0547 9.59 FR 1245 3.24 ● 1829 9.31		13 0136 3.70 0716 9.02 SA 1354 3.50 1951 9.30		28 0105 2.95 0635 9.89 SU 1321 2.76 ● 1902 10.14	
14 0002 1.98 0522 10.78 SU 1225 1.83 ● 1745 9.65		29 0502 10.24 1207 2.42 MO 1721 9.46		14 0006 3.20 0530 9.91 TU 1233 3.03 ● 1806 8.79		29 0503 9.80 1206 3.15 WE 1732 9.12		14 0151 4.62 0748 8.28 FR 1435 4.28 2052 8.44		29 0104 3.90 0645 9.14 SA 1336 3.55 1933 9.12		14 0235 3.92 0825 8.56 SU 1451 3.94 2104 9.08		29 0147 3.08 0725 9.45 MO 1402 3.17 1954 9.94	
15 0026 2.78 0547 10.23 MO 1251 2.69 1815 8.93		30 0000 3.32 0519 9.78 TU 1225 3.13 ● 1744 8.88		15 0036 4.06 0611 8.95 WE 1313 3.98 1915 7.95		30 0002 3.94 0537 9.25 TH 1238 3.71 ● 1820 8.52		15 0347 4.52 0953 8.24 SA 1620 4.20 2238 8.93		30 0210 4.02 0804 8.75 SU 1444 3.79 2057 9.16		15 0354 4.00 1000 8.38 MO 1611 4.26 2229 9.15		30 0241 3.32 0834 8.93 TU 1500 3.72 2109 9.69	
				31 0049 4.53 0637 8.40 FR 1339 4.35 1956 7.94										31 0405 3.54 1017 8.67 WE 1632 4.12 2245 9.71	

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Chart Datum

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter