

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

MORNINGTON ISLAND – QUEENSLAND

LAT 16° 40' LONG 139° 10'

Times and Heights of High and Low Waters

2018

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0711 2050 MO	1.50 3.41	16 0811 2126 TU	1.46 3.44	1 0841 2218 TH	1.27 3.68	16 0855 2231 FR	1.56 3.34	1 0725 2106 TH	1.40 3.46	16 0723 2105 FR	1.60 3.04	1 0814 1611 SU	1.77 2.58 2.38	16 0735 1434 MO	1.85 2.40 2.08
2 0759 2129 TU	1.29 3.55	17 0847 2206 WE	1.43 3.44	2 0930 2319 FR	1.27 3.63	17 0931 2317 SA	1.60 3.29	2 0819 2226 FR	1.43 3.39	17 0807 1710 SA	1.65 2.85 2.84	2 0034 0843 1603 2041 MO	2.67 1.94 2.49 2.16	17 0135 0803 1410 2032 TU	2.33 2.00 2.36 1.86
3 0850 2220 WE	1.15 3.64	18 0924 2246 TH	1.42 3.44	3 1013 2111 SA	1.36	18 1002 2111 SU	1.67	3 0905 2337 SA	1.53 3.27	18 0843 1705 1942 2322 SU	1.74 2.77 2.69 2.87	3 0245 0906 1514 2133 TU	2.55 2.12 2.47 1.96	18 0432 0830 1330 2118 WE	2.37 2.17 2.40 1.64
4 0940 2313 TH	1.08 3.66	19 0959 2324 FR	1.44 3.41	4 0013 1048 1921 2111 SU	3.51 1.51 3.07 3.03	19 0000 1024 1838 2111 MO	3.20 1.77 2.94 2.86	4 0939 1757 2027 SU	1.68 2.86 2.78	19 0909 1711 2029 MO	1.85 2.68 2.52	4 0513 0928 1439 2227 WE	2.52 2.27 2.54 1.79	19 0553 0856 1240 2209 TH	2.47 2.33 2.53 1.44
5 1028 FR	1.09	20 1033 SA	1.48	5 0059 1115 1923 2220 MO	3.31 1.71 2.99 2.88	20 0042 1038 1848 2209 TU	3.07 1.90 2.89 2.73	5 0040 1004 1758 2125 MO	3.10 1.86 2.77 2.59	20 0031 0926 1700 2118 TU	2.75 1.99 2.60 2.33	5 0636 0947 1406 2324 TH	2.54 2.41 2.66 1.65	20 0650 0924 1244 2308 FR	2.57 2.47 2.70 1.28
6 0004 1112 SA	3.60 1.18	21 0000 1103 SU	3.37 1.54	6 0137 1134 1928 2342 TU	3.04 1.93 2.95 2.71	21 0126 1050 1842 2314 WE	2.89 2.05 2.85 2.56	6 0148 1023 1755 2225 TU	2.87 2.06 2.73 2.41	21 0208 0943 1620 2210 WE	2.61 2.15 2.58 2.14	6 0746 1004 1407 FR	2.57 2.52 2.76	21 0749 0947 1316 SA	2.64 2.59 2.84
7 0050 1150 2036 2203 SU	3.47 1.33 3.10 3.09	22 0033 1124 1950 2202 MO	3.28 1.64 3.07 3.03	7 0149 1146 1920 WE	2.75 2.15 2.96	22 0234 1103 1812 TH	2.66 2.22 2.86	7 0413 1039 1721 2335 WE	2.65 2.24 2.75 2.24	22 0525 1002 1552 2308 TH	2.54 2.31 2.64 1.95	7 0027 1423 SA	1.54 2.84	22 0012 1355 SU	1.15 2.93
8 0128 1220 2039 2339 MO	3.26 1.54 3.04 2.96	23 0103 1140 2005 2320 TU	3.15 1.76 3.04 2.93	8 0419 0742 1146 1902 TH	2.42 2.47 2.34 3.04	23 0036 0713 1109 1753 FR	2.36 2.52 2.40 2.95	8 0709 1051 1706 TH	2.57 2.41 2.84	23 0717 1021 1510 FR	2.59 2.47 2.78	8 0128 1445 SU	1.46 2.88	23 0118 1440 MO	1.06 2.95
9 0145 1242 2046 TU	2.99 1.78 3.01	24 0127 1151 2007 WE	2.97 1.91 3.02	9 0432 1857 FR	2.15 3.14	24 0236 1741 SA	2.12 3.10	9 0128 0858 1051 1701 FR	2.06 2.57 2.55 2.95	24 0018 0841 1030 1504 SA	1.77 2.65 2.62 2.94	9 0220 1508 MO	1.40 2.90	24 0218 1533 TU	1.03 2.91
10 1249 2047 WE	2.03 3.02	25 1155 1956 TH	2.09 3.02	10 0503 1855 SA	1.93 3.24	25 0336 1742 SU	1.86 3.26	10 0254 1659 SA	1.87 3.05	25 0138 1535 SU	1.59 3.08	10 0307 1533 TU	1.37 2.89	25 0313 1637 WE	1.07 2.81
11 1228 2036 TH	2.24 3.07	26 1138 1937 FR	2.28 3.07	11 0537 1902 SU	1.77 3.33	26 0430 1808 MO	1.65 3.40	11 0340 1708 SU	1.73 3.12	26 0248 1621 MO	1.44 3.17	11 0352 1555 WE	1.37 2.85	26 0406 1755 TH	1.18 2.65
12 0611 2029 FR	2.02 3.16	27 0444 1925 SA	2.15 3.19	12 0613 1923 MO	1.66 3.38	27 0527 1852 TU	1.51 3.48	12 0420 1728 MO	1.64 3.17	27 0349 1715 TU	1.35 3.20	12 0439 1605 TH	1.41 2.77	27 0456 1409 1727 1927 FR	1.34 2.51 2.43 2.45
13 0635 2023 SA	1.80 3.26	28 0515 1917 SU	1.88 3.35	13 0652 1957 TU	1.59 3.40	28 0626 1952 WE	1.42 3.50	13 0502 1800 TU	1.58 3.18	28 0448 1820 WE	1.33 3.16	13 0527 1537 FR	1.48 2.68	28 0545 1356 1826 2230 SA	1.54 2.41 2.19 2.28
14 0705 2028 SU	1.64 3.35	29 0601 1934 MO	1.64 3.51	14 0732 2045 WE	1.56 3.39	15 0815 2139 TH	1.55 3.37	14 0548 1847 WE	1.57 3.15	29 0547 1935 TH	1.37 3.07	14 0614 1515 SA	1.58 2.58	29 0629 1344 1919 SU	1.75 2.33 1.93
15 0737 2051 MO	1.53 3.41	30 0654 2015 TU	1.45 3.62	15 0815 2139 TH	1.55 3.37	15 0815 2139 TH	1.55 3.37	15 0636 1952 TH	1.57 3.10	30 0645 2111 FR	1.47 2.94	15 0658 1510 1911 2250 SU	1.70 2.48 2.30 2.39	30 0114 0707 1318 2008 MO	2.21 1.94 2.30 1.69
		31 0749 2114 WE	1.33 3.68					31 0735 1616 1853 2301 SA	1.60 2.69 2.62 2.81						

© Copyright Commonwealth of Australia 2016, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

MORNINGTON ISLAND – QUEENSLAND

LAT 16° 40' LONG 139° 10'

Times and Heights of High and Low Waters

2018

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0345 0740 TU 1231 2054	2.25 2.11 2.35 1.49	16 0447 0704 WE 1120 2030	2.21 2.14 2.33 1.20	1 1131 2220 FR	2.51 0.84	16 1102 2216 SA	2.67 0.49	1 1143 2247 SU	2.44 0.71	16 1202 2259 MO	2.68 0.48	1 0647 0907 WE 1250 2320	2.15 2.08 2.30 0.94	16 0644 1003 TH 1427 2324	2.07 1.89 2.19 1.22
2 0512 0810 WE 1208 2140	2.35 2.25 2.46 1.33	17 0533 0743 TH 1100 2119	2.37 2.31 2.48 1.00	2 1201 2301 SA	2.52 0.82	17 1155 2310 SU	2.72 0.46	2 1219 2324 MO	2.41 0.74	17 1300 2342 TU	2.59 0.61	2 0708 0958 TH 1325 2338	2.11 2.00 2.19 1.06	17 0651 1108 FR 1632 2338	2.03 1.71 1.94 1.46
3 1217 2225 TH	2.56 1.21	18 1127 2213 FR	2.63 0.84	3 1229 2343 SU	2.51 0.82	18 0744 0900 MO 1249	2.45 2.44 2.70	3 0720 0912 TU 1252 2358	2.21 2.18 2.37 0.79	18 0739 0954 WE 1356	2.19 2.13 2.42	3 0724 1054 FR 1403 2349	2.07 1.90 2.03 1.21	18 0636 1232 SA 1956 2343	2.04 1.52 1.82 1.68
4 0654 0904 FR 1237 2313	2.48 2.43 2.63 1.14	19 1205 2311 SA	2.74 0.74	4 0753 0928 MO 1257	2.35 2.33 2.49	19 0001 0825 TU 0942 1342	0.50 2.36 2.35 2.60	4 0751 0956 WE 1323	2.18 2.14 2.29	19 0017 0756 TH 1101 1451	0.81 2.10 1.98 2.17	4 0726 2358 SA	2.05 1.39	19 0614 1501 SU	2.14 1.30
5 0741 0927 SA 1259	2.50 2.48 2.66	20 0754 0920 SU 1250	2.58 2.57 2.80	5 0024 0834 TU 0959 1323	0.83 2.32 2.31 2.44	20 0047 0858 WE 1039 1434	0.62 2.26 2.24 2.43	5 0028 0820 TH 1050 1352	0.86 2.15 2.09 2.19	20 0043 0810 FR 1230 1622	1.05 2.05 1.81 1.87	5 0713 1347 SU 1939 2355	2.06 1.58 1.67 1.58	20 0605 1606 MO	2.27 1.09
6 0000 0836 SU 0943 1322	1.09 2.51 2.50 2.67	21 0009 1336 MO	0.69 2.78	6 0102 1347 WE	0.87 2.38	21 0127 0921 TH 1208 1524	0.80 2.18 2.12 2.19	6 0050 0841 FR	0.98 2.12	21 0059 0811 SA 1554 2052	1.31 2.05 1.56 1.69	6 0655 1531 MO	2.12 1.34	21 0555 1654 TU	2.39 0.94
7 0047 1344 MO	1.07 2.66	22 0104 1426 TU	0.71 2.70	7 0135 1401 TH	0.94 2.28	22 0159 0938 FR	1.03 2.12	7 0107 0848 SA	1.13 2.09	22 0057 0756 SU 1652	1.55 2.11 1.27	7 0637 1624 TU	2.24 1.09	22 0603 1739 WE	2.48 0.86
8 0133 1406 TU	1.07 2.63	23 0154 1518 WE	0.79 2.55	8 0206 1019 FR	1.04 2.22	23 0222 0947 SA 1722 2154	1.29 2.10 1.60 1.69	8 0118 0846 SU 1717 2001	1.32 2.08 1.58 1.60	23 0744 1739 MO	2.22 1.03	8 0623 1717 WE	2.39 0.88	23 0625 1823 TH	2.52 0.83
9 0215 1427 WE	1.09 2.58	24 0240 1145 TH 1455 1610	0.94 2.35 2.34 2.34	9 0232 1026 SA	1.20 2.18	24 0224 0940 SU 1806	1.55 2.12 1.32	9 0053 0836 MO 1706	1.52 2.11 1.33	24 0729 1824 TU	2.33 0.87	9 0641 1814 TH	2.54 0.71	24 0659 1907 FR	2.52 0.82
10 0256 1430 TH	1.15 2.49	25 0320 1136 FR	1.15 2.27	10 0254 1024 SU 1930 2138	1.39 2.15 1.67 1.67	25 0921 1850 MO	2.19 1.08	10 0815 1746 TU	2.19 1.08	25 0735 1905 WE	2.42 0.77	10 0723 1913 FR	2.65 0.60	25 0756 1951 SA	2.49 0.84
11 0336 1306 FR	1.25 2.41	26 0357 1139 SA 1806 2227	1.40 2.21 1.82 1.88	11 0307 1020 MO 1816	1.62 2.14 1.42	26 0905 1931 TU	2.29 0.90	11 0748 1835 WE	2.33 0.85	26 0804 1947 TH	2.46 0.72	11 0826 2012 SA	2.69 0.54	26 0912 2033 SU	2.44 0.87
12 0415 1240 SA	1.39 2.34	27 0430 1134 SU 1853	1.65 2.19 1.55	12 1004 1853 TU	2.19 1.17	27 0908 2010 WE	2.38 0.79	12 0804 1928 TH	2.47 0.66	27 0850 2027 FR	2.46 0.70	12 0945 2105 SU	2.70 0.54	27 1021 2111 MO	2.40 0.93
13 0457 1225 SU 1839 2237	1.56 2.27 1.93 1.95	28 0135 0458 MO 1108 1937	1.90 1.88 2.21 1.31	13 0926 1938 WE	2.30 0.93	28 0940 2050 TH	2.43 0.72	13 0849 2024 FR	2.59 0.52	28 0947 2107 SA	2.45 0.71	13 1106 2152 MO	2.67 0.62	28 0539 0742 TU 1117 2143	2.23 2.20 2.35 1.02
14 0541 1214 MO 1907	1.75 2.23 1.69	29 1043 2019 TU	2.30 1.11	14 0933 2028 TH	2.45 0.73	29 1021 2128 FR	2.45 0.70	14 0951 2119 SA	2.66 0.44	29 1044 2146 SU	2.43 0.73	14 1217 2232 TU	2.58 0.77	29 0545 0827 WE 1207 2206	2.17 2.08 2.28 1.13
15 0340 0624 TU 1155 1946	2.02 1.95 2.24 1.44	30 0555 0616 WE 1039 2059	2.21 2.21 2.40 0.97	15 0555 0654 FR 1012 2122	2.44 2.43 2.58 0.58	30 1103 2208 SA	2.45 0.69	15 1058 2211 SU	2.70 0.42	30 1132 2223 MO	2.41 0.78	15 0633 0905 WE 1319 2302	2.17 2.08 2.43 0.98	30 0558 0912 TH 1255 2221	2.11 1.96 2.18 1.27
		31 1101 2139 TH	2.47 0.89					31 1212 2255 TU	2.37 0.84					31 0605 FR 1354 2233	2.06 1.82 2.03 1.43

© Copyright Commonwealth of Australia 2016, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

