

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

FRANKLIN HARBOR ENTRANCE BEACON – SOUTH AUSTRALIA

LAT 33° 45' S LONG 136° 59' E
Times and Heights of High and Low Waters

2024

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0621 1.91		16 0005 0.82		1 0131 0.77		16 0158 0.81		1 0120 0.60		16 0149 0.75		1 0224 0.72		16 1013 0.49	
1339 0.49		0637 1.78		0655 1.46		0639 1.17		0640 1.40		0613 1.09		0620 0.93		1835 1.68	
MO 1946 1.18		TU 1356 0.44		TH 1318 0.40		FR 1238 0.38		FR 1232 0.38		SA 1147 0.36		MO 1148 0.39		TU	
		2009 1.11		2009 1.45		2000 1.62		1915 1.68		1912 1.89		1924 1.68		☉	
2 0032 0.89		17 0051 0.87		2 0209 0.80		17 0248 0.90		2 0151 0.65		17 0227 0.87		2 1138 0.35		17 0949 0.54	
0643 1.71		0653 1.53		0708 1.26		0617 1.01		0651 1.21		0549 0.99		1959 1.53		1850 1.45	
TU 1356 0.50		WE 1354 0.50		FR 1322 0.40		SA 1234 0.31		SA 1235 0.37		SU 1151 0.30		TU		WE	
2032 1.19		2040 1.20		2036 1.40		☉ 2035 1.60		1935 1.61		☉ 1940 1.77		☉			
3 0120 0.95		18 0148 0.94		3 0254 0.84		18 1231 0.25		3 0227 0.73		18 1154 0.29		3 1110 0.30		18 0906 0.56	
0702 1.49		0658 1.27		0711 1.07		2129 1.52		0650 1.03		2014 1.61		2100 1.36		1736 1.26	
WE 1409 0.51		TH 1343 0.50		SA 1322 0.38		SU		SU 1236 0.34		MO		WE		TH 2046 1.22	
2129 1.20		☉ 2122 1.29		☉ 2114 1.36				2002 1.52							
4 0218 1.00		19 0313 1.00		4 1317 0.36		19 1224 0.21		4 0325 0.84		19 1146 0.30		4 1036 0.25		19 0044 1.29	
0714 1.27		0628 1.05		2229 1.32		MO		0608 0.89		2104 1.42		TH		0846 0.56	
TH 1416 0.52		FR 1326 0.46		SU				MO 1232 0.29		TU		FR		1544 1.25	
☉ 2237 1.22		2226 1.38						☉ 2042 1.41				TH		2040 1.02	
5 0347 1.01		20 1305 0.38		5 1256 0.33		20 0000 1.47		5 1213 0.25		20 1123 0.32		5 0216 1.42		20 0156 1.31	
0705 1.07		2343 1.47		MO		1208 0.21		2356 1.33		WE		FR 1026 0.21		0843 0.57	
FR 1416 0.52		SA		MO		TU		TU				FR 1742 1.10		SA 1512 1.39	
2339 1.27												2128 0.97		2100 0.84	
6 1400 0.52		21 1241 0.31		6 0047 1.37		21 0237 1.56		6 1139 0.18		21 0240 1.43		6 0317 1.52		21 0234 1.35	
SA		SU		1213 0.26		1150 0.21		WE		TH 1815 1.09		SA 1031 0.23		0847 0.58	
				TU		WE				2117 1.03		SA 1704 1.22		SU 1509 1.57	
7 0039 1.34		22 0103 1.57		7 0241 1.53		22 0336 1.69		7 0244 1.49		22 0328 1.52		7 0301 1.58		22 0303 1.38	
1306 0.51		1216 0.24		1146 0.15		1142 0.23		1118 0.10		1052 0.36		0941 0.30		0855 0.59	
SU		MO		WE		TH 1813 0.97		TH		FR 1714 1.18		SU 1559 1.42		MO 1517 1.76	
8 0139 1.46		23 0221 1.70		8 0341 1.75		23 0409 1.80		8 0337 1.67		23 0358 1.59		8 0336 1.58		23 0328 1.42	
1128 0.42		1203 0.21		1149 0.06		1140 0.26		1121 0.05		1052 0.38		0950 0.41		0907 0.60	
MO		TU		TH 1844 0.87		FR 1742 1.11		FR 1801 1.02		SA 1700 1.35		MO 1603 1.64		TU 1531 1.93	
9 0239 1.62		24 0321 1.84		9 0422 1.93		24 0437 1.88		9 0416 1.81		24 0424 1.64		9 0404 1.53		24 0352 1.44	
1125 0.28		1204 0.21		1203 0.01		1143 0.29		1130 0.07		1054 0.40		0954 0.52		0921 0.61	
TU		WE		FR 1821 0.95		SA 1739 1.30		SA 1748 1.16		SU 1703 1.56		TU 1611 1.86		WE 1548 2.06	
10 0331 1.81		25 0403 1.97		10 0456 2.05		25 0500 1.91		10 0448 1.87		25 0446 1.67		10 0425 1.43		25 0414 1.44	
1145 0.18		1210 0.24		1221 0.04		1149 0.31		1142 0.15		1102 0.41		0952 0.59		0935 0.61	
WE 1759 0.80		TH 1801 0.90		SA 1827 1.07		SU 1749 1.49		SU 1751 1.34		MO 1713 1.75		WE 1621 2.04		TH 1606 2.14	
2016 0.76		2118 0.79		☉ 2255 0.72		2321 0.61		☉ 2313 0.60		☉ 2320 0.51		2318 0.48		2306 0.44	
11 0414 1.99		26 0436 2.06		11 0525 2.07		26 0523 1.89		11 0516 1.84		26 0508 1.68		11 0439 1.31		26 0436 1.38	
1211 0.11		1217 0.28		1236 0.13		1156 0.33		1151 0.27		1111 0.43		0949 0.60		0947 0.61	
TH 1812 0.85		FR 1759 1.05		SU 1838 1.19		MO 1804 1.64		MO 1758 1.52		TU 1727 1.89		TH 1635 2.16		FR 1627 2.17	
☉ 2124 0.75		☉ 2217 0.74		2332 0.69		2351 0.57		2347 0.55		2347 0.46		2346 0.56		2336 0.49	
12 0452 2.12		27 0504 2.09		12 0550 1.99		27 0544 1.83		12 0539 1.74		27 0529 1.64		12 0449 1.20		27 0456 1.28	
1239 0.10		1225 0.32		1248 0.25		1206 0.34		1156 0.39		1122 0.45		0950 0.55		0956 0.61	
FR 1833 0.89		SA 1811 1.21		MO 1850 1.31		TU 1822 1.74		TU 1806 1.69		WE 1743 1.98		FR 1652 2.21		SA 1649 2.14	
2209 0.74		2302 0.71													
13 0524 2.17		28 0530 2.07		13 0007 0.68		28 0022 0.56		13 0017 0.54		28 0013 0.44		13 0014 0.66		28 0012 0.56	
1305 0.15		1235 0.34		0610 1.82		0605 1.72		0556 1.58		0549 1.57		0454 1.11		0512 1.13	
SA 1856 0.93		SU 1831 1.35		TU 1253 0.37		WE 1217 0.36		WE 1153 0.47		TH 1132 0.46		SA 0956 0.49		SU 1002 0.59	
2247 0.75		2342 0.71		1902 1.43		1839 1.76		1816 1.83		1759 2.00		1714 2.18		1712 2.07	
14 0552 2.12		29 0554 1.98		14 0042 0.71		29 0051 0.57		14 0047 0.58		29 0041 0.47		14 0045 0.78		29 0054 0.65	
1329 0.24		1247 0.36		0626 1.61		0624 1.58		0608 1.40		0608 1.45		0451 1.03		0521 0.96	
SU 1920 0.98		MO 1854 1.44		WE 1251 0.43		TH 1225 0.38		TH 1148 0.47		FR 1141 0.47		SU 1006 0.45		MO 1002 0.56	
2324 0.77				1915 1.53		1857 1.74		1829 1.92		1816 1.97		1740 2.06		1739 1.96	
15 0617 1.99		30 0019 0.72		15 0118 0.75				15 0117 0.65		30 0109 0.53		15 0125 0.90		30 0200 0.73	
1347 0.34		0617 1.84		0636 1.38				0615 1.23		0623 1.29		0423 0.97		0505 0.80	
MO 1944 1.03		TU 1259 0.37		TH 1243 0.43				FR 1145 0.42		SA 1147 0.46		MO 1014 0.45		TU 0955 0.53	
		1919 1.48		1934 1.60				1848 1.94		1835 1.90		1807 1.89		1810 1.82	
		31 0055 0.75						31 0142 0.62							
		0637 1.66						0630 1.11							
		WE 1310 0.39						SU 1149 0.43							
		1944 1.48						1857 1.80							

© Copyright Commonwealth of Australia 2023, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

FRANKLIN HARBOR ENTRANCE BEACON – SOUTH AUSTRALIA

LAT 33° 45' S LONG 136° 59' E

Times and Heights of High and Low Waters

2024

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0928 1845 WE ☉	0.51 1.64	16 0632 1831 TH	0.84 1.49	1 0550 1434 SA	0.67 1.25	16 0310 1158 SU	0.82 1.45	1 0150 1139 MO	0.77 1.52	16 0107 1056 TU	0.68 1.49	1 1259 2311 TH	1.75 0.36	16 1318 2235 FR	1.55 0.37
2 0828 1925 TH	0.48 1.42	17 0631 1608 FR	0.79 1.31	2 0609 1335 SU 2105	0.73 1.41 0.90	17 0343 1229 MO	0.83 1.56	2 0020 1224 TU 2256	0.71 1.69 0.58	17 0045 1204 WE 2335	0.67 1.56 0.64	2 1410 2306 FR	1.89 0.37	17 1421 2230 SA	1.75 0.28
3 0806 1706 FR	0.45 1.21 1.19	18 0645 1406 SA 2058	0.77 1.38 1.04	3 0121 0623 MO 1342 2135	1.00 0.79 1.61 0.69	18 0439 1304 TU 2141	0.85 1.67 0.75	3 1313 2253 WE	1.86 0.48	18 1314 2237 TH	1.69 0.54	3 1455 2308 SA	2.02 0.41	18 0504 0752 SU 1502 2240	0.95 0.90 1.94 0.22
4 0013 0810 SA 1517 2036	1.30 0.46 1.26 0.95	19 0037 0702 SU 1358 2102	1.10 0.76 1.52 0.86	4 0258 0631 TU 1401 2208	0.97 0.84 1.83 0.55	19 1341 2157 WE	1.81 0.63	4 1402 2308 TH	2.02 0.44	19 1415 2242 FR	1.86 0.44	4 0501 0753 SU 1528 2311	0.98 0.91 2.12 0.47	19 0447 0855 MO 1538 2256	1.04 0.81 2.06 0.22
5 0149 0822 SU 1458 2114	1.29 0.53 1.44 0.73	20 0201 0719 MO 1409 2120	1.10 0.77 1.68 0.72	5 0345 0642 WE 1427 2239	0.95 0.86 2.04 0.49	20 0332 0635 TH 1420 2223	0.96 0.87 1.96 0.54	5 1446 2324 FR	2.17 0.46	20 0457 0633 SA 1502 2301	0.91 0.90 2.04 0.36	5 0448 0903 MO 1557 2315	1.13 0.86 2.16 0.52	20 0454 0940 TU 1609 2312	1.17 0.74 2.10 0.29
6 0246 0832 MO 1502 2150	1.28 0.62 1.67 0.57	21 0243 0739 TU 1427 2143	1.13 0.77 1.84 0.60	6 0411 0701 TH 1454 2310	0.94 0.85 2.22 0.49	21 0358 0723 FR 1459 2253	1.00 0.86 2.11 0.48	6 0506 0644 SA 1523 2340	0.89 0.87 2.28 0.52	21 0456 0808 SU 1540 2324	0.97 0.88 2.19 0.32	6 0455 0951 TU 1621 2322	1.32 0.81 2.14 0.55	21 0507 1018 WE 1636 2324	1.31 0.70 2.05 0.39
7 0326 0838 TU 1512 2223	1.25 0.70 1.90 0.48	22 0314 0802 WE 1450 2209	1.17 0.78 2.00 0.53	7 0425 0728 FR 1524 2336	0.94 0.82 2.35 0.55	22 0425 0804 SA 1536 2326	1.03 0.85 2.23 0.45	7 0456 0802 SU 1555 2353	0.97 0.87 2.33 0.59	22 0513 0905 MO 1614 2348	1.04 0.86 2.27 0.33	7 0511 1032 WE 1646 2330	1.49 0.79 2.07 0.57	22 0520 1054 TH 1659 2332	1.44 0.69 1.90 0.50
8 0356 0839 WE 1527 2254	1.20 0.75 2.11 0.46	23 0342 0824 TH 1515 2239	1.21 0.77 2.13 0.49	8 0435 0801 SA 1553	0.96 0.79 2.41	23 0456 0837 SU 1611	1.04 0.84 2.31	8 0506 0905 MO 1625	1.10 0.87 2.32	23 0535 0950 TU 1644	1.11 0.85 2.26	8 0532 1110 TH 1709 2341	1.62 0.80 1.94 0.58	23 0534 1129 FR 1717 2332	1.55 0.71 1.70 0.58
9 0416 0840 TH 1545 2323	1.15 0.74 2.27 0.52	24 0409 0846 FR 1542 2311	1.22 0.76 2.22 0.49	9 0002 0447 SU 0836 1623	0.64 1.00 0.77 2.40	24 0000 0527 MO 0904 1644	0.45 1.02 0.84 2.32	9 0004 0527 TU 0958 1653	0.64 1.22 0.90 2.24	24 0011 0559 WE 1030 1711	0.40 1.18 0.87 2.15	9 0556 1147 FR 1731 2351	1.68 0.82 1.77 0.58	24 0548 1204 SA 1729 2324	1.64 0.76 1.47 0.59
10 0428 0847 FR 1605 2351	1.10 0.70 2.36 0.61	25 0434 0903 SA 1610 2348	1.18 0.75 2.27 0.52	10 0026 0509 MO 0912 1653	0.72 1.05 0.80 2.31	25 0036 0602 TU 0928 1714	0.48 1.00 0.87 2.24	10 0017 0557 WE 1047 1720	0.67 1.33 0.95 2.09	25 0029 0621 TH 1110 1734	0.49 1.24 0.90 1.96	10 0621 1223 SA 1750	1.68 0.85 1.58	25 0605 1241 SU 1733 2316	1.70 0.83 1.25 0.54
11 0437 0901 SA 1629	1.06 0.65 2.37	26 0500 0917 SU 1639	1.10 0.74 2.26	11 0050 0543 TU 0947 1722	0.78 1.09 0.87 2.16	26 0111 0644 WE 0950 1743	0.53 0.99 0.91 2.09	11 0031 0633 TH 1135 1745	0.69 1.40 1.01 1.90	26 0040 0645 FR 1153 1753	0.58 1.32 0.94 1.71	11 0001 0646 SU 1259 1805	0.59 1.63 0.89 1.39	26 0627 1326 MO 1713 2310	1.71 0.93 1.08 0.46
12 0020 0447 SU 0919 1656	0.72 1.03 0.62 2.30	27 0029 0527 MO 0924 1709	0.57 0.99 0.73 2.20	12 0116 0631 WE 1024 1751	0.81 1.11 0.98 1.96	27 0145 0742 TH 1021 1809	0.60 1.01 0.98 1.87	12 0045 0714 FR 1225 1807	0.69 1.44 1.07 1.68	27 0043 0711 SA 1243 1806	0.65 1.39 0.99 1.46	12 0007 0711 MO 1339 1810	0.59 1.56 0.93 1.21	27 0658 2307 TU	1.67 0.38
13 0053 0458 MO 0936 1724	0.82 1.00 0.64 2.15	28 0119 0558 TU 0923 1740	0.62 0.87 0.73 2.08	13 0144 0751 TH 1112 1817	0.82 1.14 1.10 1.73	28 0213 1831 FR	0.66 1.62	13 0059 0801 SA 1318 1826	0.69 1.45 1.11 1.47	28 0036 0746 SU 1347 1800	0.66 1.46 1.05 1.22	13 0009 0744 TU 1438 1747	0.57 1.49 0.99 1.06	28 0745 2302 WE	1.58 0.33
14 0138 0508 TU 0946 1753	0.89 0.95 0.71 1.95	29 0229 0648 WE 0901 1812	0.66 0.77 0.75 1.90	14 0215 1038 FR 1236 1835	0.81 1.23 1.22 1.49	29 0229 1025 SA 1323 1839	0.72 1.21 1.16 1.35	14 0109 0854 SU 1427 1833	0.69 1.45 1.13 1.27	29 0022 0836 MO	0.63 1.51	14 0006 0846 WE 2353	0.54 1.42 0.51	29 1035 2250 TH	1.50 0.31
15 0931 1819 WE ☉	0.80 1.72	30 0416 1844 TH	0.65 1.68	15 0243 1125 SA 1537 1819	0.81 1.35 1.27 1.28	30 0227 1101 SU	0.76 1.36	15 0112 0954 MO	0.69 1.46	30 0004 0954 TU 2346	0.55 1.57 0.47	15 1116 2315 TH	1.42 0.46	30 1325 2233 FR	1.58 0.32
		31 0518 1909 FR ☉	0.65 1.42					31 1126 2327 WE	1.64 0.40			31 1422 2224 SA	1.71 0.35		

© Copyright Commonwealth of Australia 2023, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ☾ First Quarter ☽ Full Moon ☾ Last Quarter

FRANKLIN HARBOR ENTRANCE BEACON – SOUTH AUSTRALIA

LAT 33° 45' S LONG 136° 59' E

Times and Heights of High and Low Waters

2024

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0447 1.02		16 0416 1.05		1 0327 1.39		16 0419 1.40		1 0402 1.91		16 0401 1.99		1 0355 2.00		16 0411 2.16	
0804 0.94		0834 0.80		0911 0.64		1022 0.50		1059 0.33		1141 0.25		1128 0.29		1232 0.26	
SU 1457 1.81		MO 1452 1.74		TU 1509 1.55		WE 1614 1.45		FR 1640 1.27		SA 1713 0.97		SU 1704 1.04		MO 1758 0.76	
2222 0.40		2159 0.20		2126 0.48		2217 0.41		● 2151 0.58		○ 2113 0.66		● 2127 0.66		○ 2037 0.68	
2 0416 1.16		17 0408 1.20		2 0331 1.60		17 0428 1.62		2 0421 2.04		17 0421 2.15		2 0424 2.09		17 0440 2.23	
0855 0.81		0915 0.66		0938 0.51		1057 0.37		1124 0.30		1213 0.30		1157 0.29		1255 0.35	
MO 1524 1.87		TU 1526 1.81		WE 1532 1.57		TH 1646 1.41		SA 1702 1.28		SU 1728 0.91		MO 1729 1.04		TU 1803 0.80	
2223 0.44		2211 0.25		2132 0.50		○ 2224 0.51		2207 0.58		2120 0.62		2150 0.65		2117 0.67	
3 0413 1.37		18 0414 1.38		3 0342 1.80		18 0439 1.83		3 0441 2.11		18 0443 2.24		3 0452 2.14		18 0509 2.24	
0933 0.70		0952 0.55		1005 0.43		1130 0.32		1151 0.31		1242 0.41		1229 0.31		1315 0.45	
TU 1547 1.89		WE 1557 1.80		TH 1554 1.57		FR 1711 1.32		SU 1723 1.26		MO 1736 0.87		TU 1754 1.00		WE 1817 0.87	
● 2226 0.47		○ 2223 0.36		● 2141 0.51		2226 0.58		2221 0.57		2133 0.57		2209 0.64		2158 0.68	
4 0422 1.58		19 0424 1.57		4 0357 1.95		19 0452 2.00		4 0502 2.13		19 0506 2.26		4 0521 2.14		19 0537 2.17	
1006 0.62		1027 0.48		1031 0.38		1201 0.34		1219 0.16		1311 0.53		1305 0.36		1331 0.53	
WE 1609 1.88		TH 1623 1.71		FR 1615 1.55		SA 1729 1.20		MO 1744 1.18		TU 1742 0.84		WE 1823 0.92		TH 1842 0.95	
2232 0.49		2230 0.47		2152 0.51		2221 0.59		2233 0.57		2150 0.54		2223 0.64		2242 0.74	
5 0437 1.76		20 0435 1.74		5 0414 2.04		20 0506 2.12		5 0523 2.09		20 0532 2.20		5 0549 2.08		20 0603 2.03	
1038 0.57		1059 0.47		1057 0.38		1231 0.43		1251 0.44		1340 0.64		1343 0.41		1346 0.57	
TH 1631 1.82		FR 1643 1.56		SA 1635 1.50		SU 1738 1.09		TU 1801 1.07		WE 1751 0.83		TH 1855 0.84		FR 1919 1.03	
2241 0.50		2228 0.55		2204 0.52		2219 0.55		2242 0.56		2207 0.55		2231 0.66		2330 0.84	
6 0454 1.87		21 0445 1.87		6 0531 2.05		21 0523 2.17		6 0546 2.02		21 0558 2.06		6 0617 1.96		21 0629 1.83	
1108 0.56		1129 0.52		1223 0.42		1300 0.56		1329 0.53		1415 0.72		1427 0.45		1402 0.59	
FR 1652 1.73		SA 1656 1.38		SU 1754 1.40		MO 1740 0.99		WE 1816 0.91		TH 1806 0.82		FR 1940 0.76		SA 2013 1.09	
2251 0.52		2222 0.57		2314 0.53		2224 0.48		2245 0.54		2220 0.61		2231 0.69		2231 0.69	
7 0512 1.90		22 0458 1.95		7 0547 2.00		22 0544 2.14		7 0610 1.90		22 0624 1.86		7 0646 1.78		22 0029 0.95	
1136 0.58		1200 0.61		1251 0.49		1330 0.69		1421 0.60		1506 0.77		1518 0.49		0652 1.59	
SA 1712 1.60		SU 1702 1.21		MO 1808 1.27		TU 1732 0.91		TH 1820 0.76		FR 1840 0.79		SA		SU 1417 0.60	
2301 0.53		2216 0.52		2321 0.52		2231 0.43		2240 0.53		2212 0.71				2139 1.15	
8 0529 1.86		23 0515 1.97		8 0605 1.91		23 0606 2.03		8 0637 1.74		23 0645 1.62		8 0712 1.55		23 0143 1.05	
1205 0.63		1231 0.73		1321 0.59		1409 0.82		2212 0.52		1807 0.75		1621 0.53		0705 1.34	
SU 1729 1.44		MO 1657 1.06		TU 1817 1.10		WE 1647 0.87		FR		SA		SU		MO 1428 0.60	
2308 0.53		2214 0.44		2324 0.50		2238 0.42				●				● 2316 1.24	
9 0546 1.78		24 0536 1.91		9 0624 1.80		24 0631 1.85		9 0706 1.54		24 0643 1.37		9 0730 1.29		24 0351 1.11	
1234 0.69		1307 0.87		1359 0.69		2236 0.45		2039 0.48		1834 0.72		1716 0.57		0633 1.12	
MO 1739 1.27		TU 1623 0.97		WE 1810 0.93		TH		SA		SU		MO		TU 1430 0.60	
2312 0.52		2217 0.37		2323 0.46		●		●		●		●			
10 0605 1.68		25 0602 1.79		10 0648 1.66		25 0653 1.63		10 0727 1.32		25 0420 1.20		10 0250 1.07		25 0012 1.33	
1307 0.78		2219 0.34		1518 0.79		2214 0.51		2015 0.43		1854 0.70		1753 0.61		1409 0.60	
TU 1739 1.10		WE		TH 1656 0.80		FR		SU		MO		TU		WE	
2313 0.49		●		2312 0.43											
11 0627 1.56		26 0631 1.61		11 0716 1.49		26 0653 1.39		11 0521 1.11		26 0223 1.30		11 0150 1.23		26 0058 1.42	
1357 0.88		2212 0.34		2239 0.39		2130 0.54		0916 1.06		1026 0.83		1047 0.70		1249 0.58	
WE 1702 0.95		TH		FR		SA		MO 1221 1.10		TU 1353 0.87		WE 1435 0.73		TH	
● 2310 0.45				●				2025 0.43		1915 0.69		1816 0.67			
12 0700 1.43		27 0702 1.41		12 0746 1.31		27 0531 1.21		12 0333 1.16		27 0224 1.45		12 0206 1.43		27 0142 1.51	
2252 0.40		2152 0.37		2157 0.33		1000 1.10		0923 0.81		1007 0.65		1038 0.48		1115 0.50	
TH		FR		SA		SU 1338 1.16		TU 1422 1.07		WE 1518 0.87		TH		FR	
						2109 0.55		2040 0.47		1938 0.70					
13 1016 1.31		28 1327 1.40		13 0651 1.11		28 0401 1.22		13 0319 1.34		28 0241 1.60		13 0235 1.64		28 0226 1.62	
2213 0.34		2131 0.39		0836 1.10		0935 0.89		0956 0.57		1019 0.51		1104 0.31		1110 0.40	
FR		SA		SU 1343 1.29		MO 1446 1.17		WE 1528 1.07		TH 1554 0.91		FR		SA	
				2146 0.28		2108 0.56		2055 0.54		2004 0.70					
14 1317 1.44		29 0426 1.10		14 0450 1.07		29 0335 1.37		14 0327 1.56		29 0303 1.75		14 0307 1.84		29 0309 1.76	
2148 0.26		0811 0.99		0908 0.89		0951 0.69		1032 0.39		1039 0.40		1135 0.22		1124 0.31	
SA		SU 1412 1.47		MO 1449 1.38		TU 1524 1.19		TH 1614 1.06		FR 1619 0.96		SA 1742 0.75		SU 1723 0.82	
		2124 0.42		2153 0.27		2113 0.57		2106 0.61		2032 0.69		1921 0.73		2006 0.76	
15 0522 0.99		30 0338 1.20		15 0420 1.20		30 0335 1.56		15 0342 1.79		30 0328 1.88		15 0340 2.02		30 0349 1.91	
0739 0.96		0841 0.80		0945 0.68		1012 0.53		1107 0.28		1102 0.33		1205 0.21		1145 0.25	
SU 1412 1.61		MO 1443 1.52		TU 1536 1.44		WE 1553 1.21		FR 1649 1.02		SA 1642 1.00		SU 1754 0.75		MO 1735 0.88	
2148 0.20		2122 0.45		2205 0.32		2122 0.58		2110 0.66		2101 0.68		○ 1957 0.71		2103 0.74	
				31 0346 1.75										31 0425 2.04	
				1036 0.41										1210 0.21	
				TH 1618 1.24										TU 1755 0.93	
				2135 0.58										● 2146 0.72	

© Copyright Commonwealth of Australia 2023, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter