

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

TAPA BAY – NORTHERN TERRITORY

LAT 12° 27' S LONG 130° 36' E

Times and Heights of High and Low Waters

2025

Local Time

JANUARY				FEBRUARY				MARCH				APRIL																																																																																																									
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m																																																																																																						
1 0038 2.66 0559 5.45 WE 1230 0.71 1914 6.44	16 0125 2.03 0657 5.68 TH 1325 0.76 1954 6.63	1 0144 1.77 0724 6.17 SA 1341 0.58 2006 6.78	16 0201 1.38 0756 5.95 SU 1358 1.43 2015 6.31	1 0047 1.41 0631 6.41 SA 1249 0.65 1903 6.85	16 0101 1.01 0703 6.27 SU 1309 1.45 1911 6.36	1 0121 0.15 0740 6.98 TU 1339 1.71 1925 6.35	16 0107 0.64 0737 6.44 WE 1328 2.12 1915 5.82	2 0118 2.53 0643 5.62 TH 1311 0.60 1954 6.50	17 0159 1.96 0735 5.68 FR 1357 0.97 2025 6.47	2 0219 1.48 0809 6.22 SU 1415 0.92 2036 6.66	17 0227 1.34 0830 5.82 MO 1420 1.80 2035 6.08	2 0119 0.95 0713 6.65 SU 1323 0.85 1931 6.83	17 0124 0.87 0734 6.29 MO 1331 1.68 1932 6.22	2 0153 0.27 0822 6.76 WE 1415 2.11 1956 5.99	17 0130 0.79 0807 6.27 TH 1354 2.32 1938 5.61	3 0157 2.42 0728 5.71 FR 1351 0.65 2032 6.48	18 0232 1.95 0813 5.57 SA 1424 1.32 2054 6.23	3 0254 1.28 0855 6.10 MO 1449 1.45 2105 6.40	18 0250 1.39 0904 5.62 TU 1442 2.19 2055 5.81	3 0151 0.65 0756 6.69 MO 1356 1.24 1958 6.65	18 0146 0.85 0804 6.22 TU 1352 1.93 1952 6.02	3 0224 0.62 0906 6.36 TH 1451 2.55 2029 5.53	18 0154 1.03 0840 5.98 FR 1421 2.63 2001 5.36	4 0237 2.31 0815 5.70 SA 1430 0.89 2109 6.37	19 0305 1.97 0852 5.38 SU 1448 1.76 2120 5.95	4 0331 1.22 0944 5.86 TU 1525 2.09 2133 6.03	19 0313 1.52 0938 5.38 WE 1506 2.58 2112 5.52	4 0222 0.57 0839 6.53 TU 1429 1.76 2027 6.32	19 0206 0.95 0834 6.05 WE 1415 2.21 2012 5.77	4 0258 1.15 0954 5.85 FR 1535 3.03 2105 5.01	19 0222 1.34 0917 5.59 SA 1451 3.02 2026 5.08	5 0320 2.19 0906 5.58 SU 1509 1.33 2144 6.18	20 0337 2.02 0932 5.13 MO 1512 2.23 2143 5.66	5 0412 1.33 1039 5.53 WE 1605 2.78 2202 5.56	20 0338 1.73 1014 5.11 TH 1533 2.98 2128 5.22	5 0254 0.72 0924 6.21 WE 1503 2.34 2054 5.87	20 0227 1.16 0905 5.78 TH 1439 2.53 2030 5.49	5 0340 1.76 1054 5.31 SA 1647 3.48 2149 4.49	20 0256 1.71 1004 5.16 SU 1529 3.48 2058 4.74	6 0408 2.05 1002 5.39 MO 1552 1.91 2220 5.91	21 0410 2.08 1015 4.88 TU 1539 2.71 2204 5.38	6 0505 1.57 1145 5.18 TH 1703 3.42 2235 5.02	21 0409 2.01 1056 4.80 FR 1606 3.41 2147 4.90	6 0328 1.09 1013 5.75 TH 1542 2.94 2123 5.33	21 0251 1.46 0937 5.44 FR 1506 2.92 2048 5.19	6 0502 2.35 1226 4.90 SU 1913 3.59 2326 4.03	21 0346 2.13 1117 4.78 MO 1707 3.90 2159 4.33	7 0504 1.92 1105 5.18 TU 1642 2.58 2257 5.58	22 0448 2.16 1102 4.66 WE 1613 3.15 2223 5.10	7 0624 1.85 1317 4.98 FR 1915 3.81 2338 4.47	22 0455 2.32 1201 4.50 SA 1659 3.86 2215 4.54	7 0411 1.61 1115 5.25 FR 1639 3.52 2155 4.74	22 0319 1.82 1017 5.02 SA 1533 3.38 2109 4.86	7 0723 2.56 1441 4.96 MO 2052 3.26	22 0525 2.52 1316 4.70 TU 2017 3.60	8 0608 1.80 1219 5.03 WE 1753 3.20 2343 5.19	23 0535 2.25 1159 4.50 TH 1701 3.56 2247 4.82	8 0756 1.96 1517 5.16 SA 2117 3.65	23 0626 2.55 1557 4.43 SU 2048 4.05 2323 4.16	8 0532 2.15 1250 4.88 SA 1918 3.80 2301 4.17	23 0359 2.23 1122 4.58 SU 1613 3.90 2139 4.46	8 0237 4.11 0848 2.41 TU 1549 5.30 2152 2.78	23 0044 4.16 0744 2.50 WE 1508 5.05 2116 2.95	9 0716 1.67 1350 5.08 TH 1935 3.56	24 0636 2.32 1316 4.45 FR 1831 3.86 2330 4.52	9 0218 4.24 0919 1.83 SU 1629 5.59 2237 3.18	24 0834 2.43 1651 4.96 MO 2224 3.64	9 0742 2.36 1510 5.01 SU 2119 3.49	24 0534 2.62 1555 4.47 MO 2056 3.96	9 0351 4.62 0952 2.17 WE 1630 5.62 2230 2.27	24 0239 4.60 0900 2.26 TH 1546 5.45 2157 2.20	10 0053 4.82 0824 1.52 FR 1522 5.39 2115 3.54	25 0745 2.29 1519 4.64 SA 2052 3.88	10 0400 4.57 1026 1.53 MO 1716 6.00 2323 2.71	25 0301 4.29 0956 1.96 TU 1719 5.51 2306 3.12	10 0240 4.09 0912 2.16 MO 1618 5.44 2225 2.99	25 0017 4.04 0819 2.50 TU 1626 5.03 2202 3.40	10 0435 5.13 1039 1.97 TH 1701 5.85 2303 1.78	25 0347 5.28 0957 2.04 FR 1616 5.79 2235 1.44	11 0229 4.65 0929 1.35 SA 1630 5.82 2234 3.22	26 0123 4.31 0856 2.13 SU 1637 5.05 2220 3.61	11 0455 5.02 1119 1.20 TU 1755 6.32	26 0416 4.84 1051 1.42 WE 1744 6.01 2341 2.55	11 0404 4.59 1017 1.81 TU 1701 5.84 2303 2.50	26 0258 4.38 0937 2.03 WE 1647 5.55 2239 2.73	11 0510 5.58 1116 1.85 FR 1727 5.99 2322 1.33	26 0438 5.96 1045 1.89 SA 1647 6.05 2311 0.79	12 0352 4.78 1030 1.15 SU 1720 6.20 2329 2.81	27 0310 4.43 1002 1.81 MO 1720 5.51 2314 3.25	12 0000 2.30 0536 5.42 WE 1201 0.95 1828 6.54	27 0506 5.45 1134 0.96 TH 1809 6.42	12 0449 5.11 1105 1.48 WE 1734 6.15 2336 2.05	27 0406 5.06 1029 1.57 TH 1708 6.00 2313 2.01	12 0542 5.95 1148 1.82 SA 1748 6.06 2358 0.96	27 0522 6.52 1129 1.84 SU 1719 6.21 2346 0.31	13 0451 5.05 1123 0.94 MO 1803 6.49	28 0418 4.79 1058 1.38 TU 1756 5.94 2355 2.87	13 0033 1.96 0612 5.73 TH 1237 0.84 1859 6.63	28 0014 1.97 0549 6.00 FR 1213 0.68 1836 6.71	13 0526 5.54 1143 1.28 TH 1803 6.35	28 0454 5.75 1113 1.26 FR 1732 6.36 2345 1.30	13 0612 6.24 1216 1.85 SU 1809 6.09	28 0605 6.90 1211 1.86 MO 1752 6.24	14 0012 2.45 0539 5.34 TU 1209 0.77 1842 6.66	29 0510 5.22 1146 0.95 WE 1831 6.32	14 0104 1.69 0647 5.92 FR 1308 0.90 1927 6.61	14 0007 1.63 0559 5.89 FR 1215 1.21 1828 6.44	29 0537 6.34 1152 1.13 SA 1758 6.59	14 0023 0.72 0640 6.42 MO 1240 1.90 1830 6.06	29 0021 0.08 0646 7.07 TU 1251 1.95 1826 6.14	15 0050 2.19 0619 5.56 WE 1250 0.70 1919 6.70	30 0033 2.49 0556 5.64 TH 1227 0.61 1903 6.60	15 0134 1.50 0721 5.99 SA 1335 1.11 1952 6.50	15 0035 1.28 0631 6.13 SA 1244 1.28 1851 6.44	30 0017 0.71 0619 6.77 SU 1228 1.18 1826 6.67	15 0045 0.61 0709 6.49 TU 1304 1.99 1852 5.97	30 0057 0.10 0728 7.02 WE 1330 2.10 1903 5.94
	31 0109 2.11 0640 5.97 FR 1305 0.48 1935 6.76			31 0050 0.31 0659 6.98 MO 1304 1.39 1855 6.58																																																																																																																	

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

TAPA BAY – NORTHERN TERRITORY

LAT 12° 27' S LONG 130° 36' E

Times and Heights of High and Low Waters

2025

Local Time

MAY				JUNE				JULY				AUGUST					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1 0132 0.35 0810 6.78 TH 1410 2.32 1940 5.63		16 0105 0.81 0750 6.28 FR 1342 2.52 1918 5.46		1 0246 1.26 0931 6.10 SU 1540 2.67 2106 4.96		16 0214 1.01 0906 6.08 MO 1506 2.77 2043 5.25		1 0308 1.58 0944 6.00 TU 1606 2.29 2143 4.99		16 0245 1.18 0917 6.32 WE 1535 1.88 2133 5.60		1 0328 2.62 0946 5.46 FR 1621 1.93 2244 4.88		16 0336 2.59 0931 5.72 SA 1618 1.40 2306 5.36			
2 0208 0.76 0854 6.40 FR 1451 2.62 2020 5.27		17 0137 0.99 0829 6.04 SA 1416 2.78 1951 5.28		2 0327 1.72 1018 5.72 MO 1642 2.84 2159 4.64		17 0256 1.30 0948 5.91 TU 1559 2.76 2140 5.07		2 0339 2.12 1017 5.63 WE 1656 2.35 2235 4.72		17 0323 1.73 0947 6.07 TH 1619 1.77 2229 5.38		2 0358 3.10 1003 5.14 SA 1659 2.12 2333 4.62		17 0422 3.25 1000 5.20 SU 1722 1.79			
3 0247 1.28 0943 5.93 SA 1542 2.95 2105 4.85		18 0213 1.23 0912 5.74 SU 1456 3.09 2030 5.03		3 0416 2.22 1108 5.36 TU 1758 2.86 2306 4.35		18 0343 1.73 1030 5.71 WE 1706 2.62 2247 4.90		3 0413 2.68 1047 5.27 TH 1752 2.34 2336 4.50		18 0404 2.39 1018 5.73 FR 1714 1.73 2335 5.16		3 0435 3.52 1020 4.84 SU 1753 2.32		18 0025 4.99 0555 3.81 MO 1041 4.64 1911 2.06			
4 0333 1.83 1039 5.45 SU 1701 3.25 2201 4.44		19 0255 1.54 1004 5.45 MO 1553 3.37 2125 4.74		4 0527 2.71 1205 5.06 WE 1909 2.68		19 0437 2.28 1115 5.50 TH 1818 2.33		4 0457 3.21 1117 4.95 FR 1850 2.27		19 0458 3.07 1054 5.32 SA 1823 1.73		4 0040 4.43 0540 3.88 MO 1047 4.54 1910 2.44		19 0231 4.97 0836 3.79 TU 1314 4.20 2049 1.99			
5 0447 2.35 1154 5.08 MO 1845 3.27 2327 4.12		20 0350 1.94 1104 5.21 TU 1745 3.42 2249 4.48		5 0039 4.24 0654 3.07 TH 1310 4.86 2006 2.37		20 0006 4.84 0551 2.82 FR 1205 5.27 1924 1.94		5 0054 4.42 0612 3.62 SA 1154 4.68 1942 2.16		20 0057 5.03 0630 3.62 SU 1145 4.88 1941 1.70		5 0323 4.45 0824 4.00 TU 1201 4.24 2034 2.37		20 0408 5.39 1011 3.31 WE 1533 4.47 2204 1.67			
6 0642 2.65 1338 4.96 TU 2006 2.99		21 0509 2.34 1214 5.10 WE 1921 3.02		6 0234 4.45 0809 3.28 FR 1413 4.79 2052 2.03		21 0133 4.98 0721 3.22 SA 1307 5.08 2023 1.54		6 0241 4.56 0754 3.80 SU 1253 4.49 2031 2.04		21 0240 5.16 0833 3.75 MO 1330 4.54 2058 1.57		6 0442 4.83 1010 3.74 WE 1446 4.25 2147 2.09		21 0458 5.86 1103 2.76 TH 1637 4.99 2300 1.29			
7 0152 4.14 0804 2.72 WE 1456 5.08 2104 2.56		22 0031 4.47 0650 2.60 TH 1325 5.14 2021 2.40		7 0343 4.84 0912 3.33 SA 1502 4.80 2131 1.70		22 0300 5.34 0848 3.36 SU 1419 4.98 2120 1.19		7 0355 4.85 0917 3.73 MO 1413 4.44 2118 1.88		22 0408 5.56 1007 3.45 TU 1518 4.61 2206 1.34		7 0519 5.27 1103 3.35 TH 1605 4.61 2244 1.66		22 0536 6.27 1141 2.25 FR 1720 5.46 2343 0.98			
8 0324 4.56 0910 2.70 TH 1543 5.23 2147 2.08		23 0208 4.82 0813 2.70 FR 1427 5.27 2110 1.73		8 0425 5.24 1004 3.25 SU 1539 4.89 2206 1.43		23 0409 5.81 1006 3.23 MO 1528 5.03 2216 0.91		8 0439 5.18 1018 3.51 TU 1524 4.57 2205 1.69		23 0503 6.00 1110 2.97 WE 1631 4.95 2306 1.05		8 0548 5.72 1142 2.94 FR 1656 5.06 2329 1.20		23 0610 6.57 1215 1.81 SA 1758 5.83			
9 0413 5.04 1002 2.64 FR 1616 5.36 2221 1.62		24 0324 5.39 0920 2.71 SA 1517 5.42 2155 1.12		9 0458 5.59 1045 3.09 MO 1613 5.02 2239 1.22		24 0503 6.23 1109 2.94 TU 1628 5.19 2308 0.70		9 0515 5.50 1106 3.23 WE 1618 4.80 2251 1.44		24 0548 6.37 1155 2.51 TH 1722 5.33 2354 0.79		9 0617 6.14 1217 2.52 SA 1741 5.50		24 0021 0.82 0640 6.73 SU 1247 1.47 1833 6.08			
10 0450 5.48 1043 2.58 SA 1641 5.46 2251 1.23		25 0421 5.98 1021 2.65 SU 1602 5.57 2239 0.65		10 0527 5.88 1122 2.90 TU 1647 5.17 2311 1.06		25 0550 6.56 1159 2.60 WE 1721 5.39 2357 0.58		10 0549 5.81 1147 2.96 TH 1703 5.08 2334 1.16		25 0626 6.64 1234 2.13 FR 1806 5.64		10 0009 0.82 0645 6.48 SU 1251 2.11 1822 5.89		25 0054 0.84 0709 6.74 MO 1318 1.22 1909 6.21			
11 0521 5.86 1117 2.51 SU 1703 5.55 2319 0.93		26 0510 6.46 1114 2.53 MO 1646 5.68 2321 0.36		11 0556 6.10 1155 2.71 WE 1721 5.31 2345 0.94		26 0633 6.75 1243 2.32 TH 1807 5.55		11 0624 6.10 1226 2.72 FR 1746 5.34		26 0036 0.64 0703 6.80 SA 1310 1.86 1845 5.84		11 0045 0.61 0714 6.70 MO 1323 1.71 1904 6.17		26 0123 1.03 0735 6.63 TU 1346 1.07 1944 6.21			
12 0548 6.16 1147 2.42 MO 1725 5.63 2344 0.75		27 0554 6.79 1202 2.39 TU 1729 5.73		12 0628 6.25 1230 2.60 TH 1756 5.41		27 0042 0.54 0714 6.82 FR 1323 2.14 1851 5.64		12 0016 0.88 0700 6.33 SA 1303 2.52 1828 5.57		27 0113 0.63 0737 6.81 SU 1344 1.69 1923 5.90		12 0120 0.63 0743 6.77 TU 1356 1.38 1947 6.31		27 0149 1.36 0758 6.41 WE 1411 1.04 2018 6.10			
13 0616 6.36 1214 2.34 TU 1751 5.67		28 0003 0.26 0637 6.94 WE 1245 2.28 1811 5.73		13 0020 0.86 0705 6.31 FR 1305 2.57 1833 5.47		28 0123 0.61 0754 6.76 SA 1402 2.08 1932 5.62		13 0054 0.69 0736 6.48 SU 1340 2.35 1911 5.72		28 0146 0.80 0808 6.70 MO 1418 1.62 2002 5.84		13 0154 0.88 0811 6.69 WE 1428 1.14 2031 6.29		28 0212 1.75 0819 6.14 TH 1434 1.12 2052 5.89			
14 0009 0.68 0645 6.45 WE 1242 2.31 1819 5.66		29 0045 0.33 0719 6.91 TH 1328 2.25 1853 5.65		14 0057 0.82 0744 6.29 SA 1342 2.62 1912 5.46		29 0201 0.80 0832 6.59 SU 1441 2.11 2014 5.49		14 0132 0.65 0811 6.53 MO 1417 2.18 1956 5.77		29 0215 1.14 0837 6.47 TU 1450 1.61 2040 5.68		14 0227 1.34 0839 6.48 TH 1500 1.04 2117 6.10		29 0233 2.16 0839 5.83 FR 1455 1.30 2125 5.60			
15 0036 0.71 0716 6.43 TH 1311 2.36 1847 5.59		30 0125 0.54 0802 6.74 FR 1409 2.31 1936 5.49		15 0135 0.86 0824 6.21 SU 1422 2.70 1955 5.39		30 0236 1.13 0909 6.33 MO 1521 2.20 2057 5.27		15 0209 0.81 0845 6.48 TU 1455 2.02 2043 5.73		30 0241 1.59 0903 6.16 WE 1520 1.67 2120 5.44		15 0300 1.93 0905 6.15 FR 1536 1.13 2206 5.77		30 0255 2.56 0856 5.52 SA 1519 1.57 2158 5.26			
		31 0206 0.86 0846 6.46 SA 1452 2.46 2020 5.26						31 0305 2.11 0926 5.81 TH 1550 1.77 2201 5.17					31 0320 2.94 0912 5.22 SU 1545 1.91 2235 4.89				

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

TAPA BAY – NORTHERN TERRITORY

LAT 12° 27' S LONG 130° 36' E

2025

Times and Heights of High and Low Waters

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0347 0928 MO 1622 2325	3.34 4.91 2.29 4.51	16 0002 0619 TU 1028 1859	4.97 3.77 4.35 2.38	1 0350 0921 WE 1641	3.76 4.49 2.62	16 0143 0808 TH 1333 2011	4.99 3.21 4.14 2.45	1 0201 0843 SA 1354 2016	4.87 3.08 4.37 2.55	16 0302 0917 SU 1547 2134	5.18 2.01 5.01 2.78	1 0132 0834 MO 1445 2039	5.11 1.96 5.12 2.98	16 0222 0905 TU 1608 2147	4.68 1.73 5.20 3.40
2 0419 0950 TU 1732	3.76 4.57 2.64	17 0222 0835 WE 1335 2039	4.91 3.56 4.07 2.25	2 0328 0818 TH 1023 1930	4.28 4.00 4.06 2.73	17 0310 0916 FR 1519 2119	5.25 2.73 4.57 2.27	2 0305 0928 SU 1517 2121	5.19 2.38 4.98 2.38	17 0345 0956 MO 1632 2224	5.25 1.58 5.47 2.74	2 0232 0923 TU 1552 2148	5.17 1.39 5.68 2.96	17 0314 0946 WE 1648 2236	4.70 1.52 5.52 3.25
3 0409 0811 WE 1027 2001	4.24 4.11 4.19 2.68	18 0350 0954 TH 1538 2150	5.32 3.03 4.53 1.92	3 0409 0940 FR 1420 2104	4.80 3.49 4.16 2.36	18 0359 1003 SA 1612 2213	5.56 2.19 5.09 2.10	3 0343 1007 MO 1613 2216	5.49 1.66 5.67 2.24	18 0418 1031 TU 1708 2305	5.31 1.22 5.87 2.67	3 0326 1009 WE 1647 2249	5.27 0.91 6.20 2.82	18 0357 1024 TH 1721 2315	4.81 1.35 5.77 3.06
4 0447 1013 TH 1431 2134	4.75 3.73 4.11 2.27	19 0437 1039 FR 1630 2242	5.76 2.47 5.08 1.59	4 0428 1017 SA 1543 2202	5.29 2.85 4.78 1.94	19 0435 1039 SU 1652 2256	5.79 1.68 5.59 1.99	4 0417 1044 TU 1700 2304	5.74 1.00 6.28 2.15	19 0445 1102 WE 1739 2339	5.37 0.95 6.16 2.58	4 0416 1056 TH 1734 2341	5.41 0.57 6.59 2.63	19 0435 1100 FR 1751 2349	4.98 1.21 5.86 2.85
5 0510 1051 FR 1559 2230	5.28 3.21 4.62 1.75	20 0512 1115 SA 1709 2324	6.12 1.95 5.57 1.36	5 0447 1050 SU 1633 2247	5.73 2.15 5.48 1.61	20 0505 1112 MO 1727 2332	5.92 1.23 6.00 1.95	5 0451 1121 WE 1743 ○ 2349	5.92 0.49 6.74 2.11	20 0511 1131 TH 1807 ●	5.44 0.79 6.33	5 0503 1142 FR 1819 ○	5.54 0.39 6.81	20 0510 1136 SA 1823 ●	5.15 1.10 6.10
6 0530 1124 SA 1649 2313	5.78 2.64 5.23 1.27	21 0542 1147 SU 1744 2358	6.36 1.47 5.98 1.28	6 0508 1122 MO 1716 2328	6.09 1.44 6.13 1.43	21 0529 1141 TU 1800 ●	5.97 0.87 6.32	6 0526 1158 TH 1826	6.01 0.19 6.98	21 0007 0539 FR 1158 1836	2.50 5.50 0.75 6.39	6 0028 0550 SA 1227 1902	2.44 5.65 0.36 6.87	21 0022 0546 SU 1211 1856	2.69 5.31 1.00 6.19
7 0551 1155 SU 1731 2351	6.22 2.04 5.82 0.95	22 0609 1217 MO 1818 ●	6.46 1.08 6.27	7 0534 1153 TU 1757 ○	6.34 0.82 6.64	22 0004 0553 WE 1207 1829	1.97 5.97 0.64 6.51	7 0031 0603 FR 1236 1908	2.12 6.00 0.13 7.01	22 0036 0607 SA 1226 1906	2.44 5.54 0.78 6.35	7 0111 0636 SU 1311 1946	2.30 5.68 0.46 6.80	22 0056 0623 MO 1246 1932	2.59 5.41 0.92 6.24
8 0614 1226 MO 1812 ○	6.54 1.45 6.31	23 0030 0633 TU 1244 1850	1.33 6.45 0.81 6.45	8 0006 0601 WE 1225 1838	1.41 6.46 0.37 6.95	23 0032 0615 TH 1231 1858	2.02 5.93 0.55 6.57	8 0112 0641 SA 1313 1951	2.19 5.90 0.29 6.84	23 0103 0637 SU 1254 1939	2.44 5.51 0.88 6.23	8 0154 0721 MO 1353 2029	2.24 5.63 0.68 6.62	23 0131 0701 TU 1321 2008	2.57 5.45 0.91 6.24
9 0027 0640 TU 1256 1852	0.84 6.72 0.95 6.65	24 0058 0655 WE 1309 1922	1.49 6.34 0.67 6.49	9 0043 0631 TH 1257 1919	1.54 6.44 0.15 7.03	24 0057 0638 FR 1254 1927	2.10 5.85 0.60 6.49	9 0153 0722 SU 1353 2036	2.32 5.70 0.62 6.53	24 0132 0709 MO 1325 2016	2.54 5.43 1.03 6.04	9 0236 0806 TU 1434 2112	2.28 5.48 1.01 6.37	24 0208 0742 WE 1358 2046	2.58 5.42 0.99 6.18
10 0102 0706 WE 1326 1933	0.96 6.74 0.60 6.79	25 0123 0717 TH 1331 1953	1.72 6.18 0.67 6.41	10 0120 0702 FR 1329 2001	1.79 6.28 0.19 6.87	25 0120 0702 SA 1317 1956	2.21 5.73 0.77 6.29	10 0236 0806 MO 1434 2124	2.52 5.42 1.07 6.14	25 0206 0742 TU 1400 2056	2.72 5.28 1.22 5.82	10 0324 0853 WE 1515 2156	2.38 5.23 1.43 6.05	25 0248 0827 TH 1436 2124	2.60 5.33 1.21 6.06
11 0135 0734 TH 1356 2015	1.27 6.61 0.45 6.71	26 0144 0738 FR 1351 2022	1.98 5.97 0.81 6.20	11 0156 0734 SA 1403 2044	2.11 6.01 0.48 6.52	26 0144 0727 SU 1342 2027	2.37 5.56 1.02 5.99	11 0326 0853 TU 1521 2217	2.77 5.06 1.58 5.73	26 0243 0820 WE 1439 2140	2.96 5.07 1.47 5.59	11 0418 0945 TH 1559 2242	2.50 4.93 1.93 5.70	26 0332 0917 FR 1516 2200	2.57 5.19 1.58 5.88
12 0208 0801 FR 1427 2059	1.72 6.34 0.55 6.42	27 0206 0758 SA 1413 2052	2.25 5.72 1.06 5.89	12 0234 0809 SU 1439 2132	2.48 5.63 0.96 6.04	27 0210 0751 MO 1409 2102	2.62 5.34 1.33 5.63	12 0434 0949 WE 1624 ● 2320	3.00 4.68 2.09 5.37	27 0333 0909 TH 1524 2230	3.18 4.82 1.81 5.38	12 0522 1045 FR 1654 ● 2329	2.55 4.64 2.47 5.35	27 0242 1015 SA 1602 2237	2.47 5.04 2.10 5.65
13 0241 0829 SA 1500 2146	2.24 5.95 0.89 5.97	28 0229 0817 SU 1436 2122	2.54 5.46 1.39 5.51	13 0317 0848 MO 1521 2228	2.90 5.17 1.55 5.52	28 0239 0817 TU 1441 2145	2.95 5.07 1.67 5.25	13 0605 1104 TH 1757	3.05 4.35 2.49	28 0451 1017 FR 1623 ● 2327	3.27 4.57 2.22 5.23	13 0629 1202 SA 1809	2.45 4.46 2.96	28 0526 1123 SU 1658 ● 2317	2.30 4.93 2.70 5.38
14 0319 0858 SU 1538 ● 2242	2.80 5.47 1.40 5.44	29 0253 0836 MO 1502 2157	2.88 5.17 1.78 5.08	14 0420 0937 TU 1629 ● 2346	3.31 4.67 2.15 5.09	29 0316 0848 WE 1524 2243	3.34 4.76 2.06 4.91	14 0039 0725 FR 1253 1923	5.16 2.83 4.25 2.70	29 0632 1146 SA 1746	3.04 4.47 2.62	14 0021 0729 SU 1342 1931	5.03 2.24 4.51 3.29	29 0633 1243 MO 1817	2.04 4.92 3.25
15 0406 0932 MO 1639	3.36 4.92 2.00	30 0319 0855 TU 1536 ● 2249	3.28 4.86 2.20 4.64	15 0628 1101 WE 1840	3.48 4.22 2.48	30 0423 0941 TH 1632 ●	3.73 4.39 2.45	15 0202 0827 SA 1443 2034	5.12 2.45 4.54 2.77	30 0028 0741 SU 1320 1919	5.13 2.55 4.66 2.88	15 0121 0820 MO 1512 2045	4.79 1.99 4.82 3.43	30 0007 0739 TU 1413 2000	5.08 1.75 5.12 3.55
				31 0010 0735 FR 1151 1840	4.73 3.64 4.13 2.65									31 0121 0844 WE 1539 2133	4.85 1.46 5.51 3.50

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality